

VI

平均氣溫累年表

1. 本表ニハ本省設置ノ氣象觀測所及他官署設置ノ氣象觀測所ノ内本調査上必要ト認メタルモノニ於ケル大正七年ヨリ大正十年マテ四箇年間ノ月別平均氣溫(攝氏ヲ以テ示ス)ヲ掲記ス
2. 平均氣溫ハ一日ノ最高,最低氣溫ノ平均ヲ更ニ一箇月ニ亘リテ平均シタルモノナリ
3. 表中一ハ缺測ヲ示シ數字ニ一ヲ附セルハ零點以下ヲ示ス

平均氣溫累年表

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	平均	最高	最低
順位 3 十勝川水系 十勝川 屈足 村字屈足															
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	-5.2	-1.6	5.3	9.8	16.7	20.5	21.4	14.7	9.4	3.7	-5.2	—	32.0	—
10	-7.3	-7.4	-3.2	5.3	10.5	14.7	20.1	20.9	16.2	9.6	1.3	-3.8	6.4	30.9	-23.0
平均	-7.3	-6.3	-2.4	5.3	10.2	15.7	20.3	21.2	15.5	9.5	2.5	-4.5	6.4	31.5	-23.0
順位 8 十勝川水系 十勝川 帯廣 町大字東四條九丁目															
7	-9.1	-8.7	-0.9	4.4	10.2	14.4	18.3	19.9	17.1	9.1	0.9	-5.7	5.8	32.1	-24.0
8	-9.8	-8.4	-2.7	4.2	9.9	13.5	19.3	19.2	16.5	9.2	3.2	-3.5	5.9	33.9	-32.3
9	-6.2	-12.7	-3.8	5.0	10.4	16.8	20.1	21.6	15.3	9.0	3.3	-7.0	6.0	31.7	-31.9
10	-11.3	-10.1	-6.1	4.9	9.8	13.6	20.0	20.9	16.2	9.8	1.1	-5.5	5.3	32.4	-23.6
平均	-9.1	-10.0	-3.4	4.6	10.1	14.6	19.4	20.4	16.3	9.3	2.1	-5.4	5.8	32.5	-29.2
順位 13 十勝川水系 ビリベツ川 西足寄 村字メー原野															
7	—	—	—	—	—	—	—	—	—	一日開始	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	—	—	-4.5	2.7	8.8	14.2	19.2	19.8	14.2	7.3	2.3	-6.8	—	33.8	-31.8
10	—	—	—	—	—	—	—	17.9	13.5	6.5	-3.9	-9.0	—	30.2	—
平均	—	—	-4.5	2.7	8.8	14.2	19.2	18.9	13.9	6.9	-0.8	-7.9	—	32.0	-31.8
順位 15 沙流川水系 沙流川 右左府 村字千露呂															
7	—	—	—	—	—	—	—	—	—	—	一日開始	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	2.7	-4.9	—	—	—
9	-4.9	—	—	—	—	—	—	—	—	—	—	—	—	—	-23.5
10	—	—	—	—	—	—	20.0	20.0	15.5	8.8	0.5	-5.9	—	29.4	—
平均	-4.9	—	—	—	—	—	20.0	20.0	15.5	8.8	1.6	-5.4	—	29.4	-23.5
順位 20 函館 區海岸町字埋立地															
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	-4.2	-2.4	1.2	6.1	10.0	14.3	20.4	20.4	18.9	12.9	7.4	0.5	8.8	29.6	-16.4
9	0.1	-3.0	1.9	6.5	10.4	15.6	21.2	23.3	17.2	12.0	6.8	-1.4	9.2	29.9	-19.5
10	-3.0	-2.3	0.3	7.5	9.9	13.7	19.6	21.5	18.3	12.3	4.2	-0.3	8.4	29.0	-14.3
平均	-2.4	-2.6	1.1	6.7	10.1	14.5	20.4	21.7	18.1	12.4	6.1	-0.6	8.8	29.5	-14.4
順位 26 余市川水系 余市川 赤井川 村字落合															
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	-6.8	-10.7	-5.2	2.4	8.9	14.4	19.1	19.9	13.0	4.8	0.5	-9.2	4.3	33.4	-30.0
10	-9.9	-8.9	-6.7	3.3	7.3	12.2	19.5	21.1	17.7	9.1	2.5	-2.2	5.4	30.8	-25.8
平均	-8.4	-9.8	-6.0	2.9	8.1	13.9	19.3	20.3	15.2	7.2	1.3	-5.1	4.9	32.1	-27.9
順位 29 石狩川水系 石狩川 愛別 村字ルベツバ															
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	—	—	廿日開始	—	5.8	14.0	20.6	19.1	15.9	8.8	2.2	-5.0	—	—	—
9	-5.7	-9.1	-4.0	2.6	7.8	13.5	17.8	18.6	11.2	6.0	0.4	-8.9	4.2	33.2	-24.5
10	-12.4	-10.6	-8.2	2.1	7.0	9.9	17.2	18.6	12.6	5.0	7.9	-1.5	4.0	31.2	-29.4
平均	-9.1	-9.9	-6.1	2.4	6.9	12.5	18.5	18.8	13.2	6.6	3.5	-5.1	4.1	32.2	-26.0
順位 32 石狩川水系 石狩川 旭川 區六條通十丁目															
7	-9.9	-7.9	-2.6	3.6	10.4	15.6	20.1	20.9	16.8	8.2	0.4	-6.7	5.8	31.8	-28.6
8	-10.4	-9.1	-4.6	2.3	9.7	14.8	21.1	19.5	16.3	9.4	2.8	-4.3	5.6	32.5	-35.0
9	-6.3	-10.8	-3.1	5.6	11.8	17.9	22.3	22.6	14.9	8.2	3.1	-7.8	6.5	35.0	-31.5
10	-9.7	-9.3	-4.4	6.2	10.3	15.1	21.6	21.3	16.3	8.7	0.0	-5.8	5.9	31.0	-36.4
平均	-9.1	-9.3	-3.7	4.4	10.0	15.9	21.3	21.1	16.1	8.6	1.6	-6.2	6.0	32.6	-32.9

平均氣溫累年表



平均氣溫累年表

Table with 16 columns (Year, 1-12 months, Average, Highest, Lowest) and 10 rows (Rank 81-95) for various river basins in the left region.

平均氣溫累年表

平均氣溫累年表

Table with 16 columns (Year, 1-12 months, Average, Highest, Lowest) and 12 rows (Rank 96-112) for various river basins in the right region.

平均氣溫累年表

平均氣溫累年表

Table of average annual temperature data for 14 stations in the northern river systems (北川水系). Stations include 花山村, 栗駒村, 鬼首村, 鳴子町, 石巻町, 中新田村, 秋保村, and 川崎村. Each station lists monthly and average temperatures for years 7, 8, 9, 10, and the overall average.

平均氣溫累年表

平均氣溫累年表

Table of average annual temperature data for 12 stations in the Arakawa River system (阿武隈川水系). Stations include 廣瀬村, 白河町, 石川町, 須賀川町, 三春町, 高川村, and 渡利村. Each station lists monthly and average temperatures for years 7, 8, 9, 10, and the overall average.

平均氣溫累年表

平均氣溫累年表

Table of average annual temperatures for various rivers and locations on page 310. Includes columns for months (January-December), average, highest, and lowest temperatures. Locations include 川俣町, 梁川町, 金山町, 七ヶ宿村, 白石町, 宇多川, 中村町, 小野新町, and 宮本村.

平均氣溫累年表

Table of average annual temperatures for various rivers and locations on page 311. Includes columns for months (January-December), average, highest, and lowest temperatures. Locations include 小名濱町, 青森市, 清水村, 舞戸村, 花輪町, 小坂町, 前田村, and 阿仁合町.

平均氣溫累年表

平均氣溫果年表

Table with 15 columns (Year, Jan-Dec, Average, Max, Min) and 10 rows of monthly data for various locations like 龍代川水系 柏毛川 and 雄物川水系 皆瀬川.

平均氣溫果年表

Table with 15 columns (Year, Jan-Dec, Average, Max, Min) and 10 rows of monthly data for various locations like 雄物川水系 雄物川 and 最上川水系 松川.

平均氣溫果年表

平均氣溫果年表

平均氣溫累年表

Table with columns for month (一月 to 十二月), average, highest, and lowest temperatures. Rows include locations like 最上川水系丹生川, 尾花澤町, 最上川水系小國川, 西小國, etc.

平均氣溫累年表

平均氣溫累年表

Table with columns for month (一月 to 十二月), average, highest, and lowest temperatures. Rows include locations like 利根川水系吾妻川, 伊香保町, 利根川水系利根川, 前橋市岩神町, etc.

平均氣溫累年表





平均氣溫累年表

Table of average annual temperatures for various locations in the Arakawa River basin, including 高田町, 坂下町, 喜多方町, 檜枝岐, 大芦, 野澤町, 豊實, and 津川町. Columns include months and average, highest, and lowest temperatures.

平均氣溫累年表

Table of average annual temperatures for various locations in the Arakawa River basin, including 早出川, 五泉町, 千曲川, 白田町, 依田川, 神川, 奈川, 犀川, and 大町. Columns include months and average, highest, and lowest temperatures.





平均氣溫累年表

Table with columns for months (一月 to 十二月), average, highest, and lowest temperatures. Rows include locations like 可兒川, 御嵩町, 上保川, 高鷺, 長良川, 高鷺村, 上保, 吉田川, 奥明方, 長良川, 八幡町, 板取川, 板取, 長良川, 美濃町.

平均氣溫累年表

平均氣溫累年表

Table with columns for months (一月 to 十二月), average, highest, and lowest temperatures. Rows include locations like 長良川, 葛原村, 長良川, 高富町, 糸貫川, 根尾, 糸貫川, 根尾, 揖斐川, 坂内, 揖斐川, 久瀬, 揖斐川, 揖斐町, 揖斐川, 關ヶ原.

平均氣溫累年表













平均氣溫累年表

Table with 15 columns (Year, 1-12 months, Average, Highest, Lowest) and 12 rows of data for various river basins including 吉野川水系, 那賀川水系, 物部川水系, and 仁淀川水系.

平均氣溫累年表

Table with 15 columns (Year, 1-12 months, Average, Highest, Lowest) and 12 rows of data for various river basins including 渡川水系, 肱川水系, 遠賀川水系, and 大野川水系.

平均氣溫累年表

平均氣溫累年表

平均氣溫累年表

Table with 15 columns (Year, Month 1-12, Average, Highest, Lowest) and 10 rows of data for various river basins including 大野川水系, 五箇瀬川水系, 耳川水系, etc.

平均氣溫累年表

Table with 15 columns (Year, Month 1-12, Average, Highest, Lowest) and 10 rows of data for various river basins including 大澁川水系, 菱田川水系, 球磨川水系, etc.

平均氣溫累年表

平均氣溫累年表