

索 引

(英 語)

- A.**
- abolition
 slum abolition 353—4
- abrasion 231—1
 abrasion test 231—2
- abutment 244—2
- accelerating agency 368—1
- acceleration 5—3
- acting
 double acting pile
 hammer 426—4
 single acting pile
 hammer 435—2
- action
 septic action 170—3
- activated
 activated sludge 166—1
 activated sludge process 166—2
- active earth pressure 10—3
- adhesion railway 321—2
- adjustment 48—5
- administrative center 333—3
- admixture 376—1
- aeration 146—4, 169—6
- aerial
 aerial cableway 298—4
 aerial port 183—3
- aerobic bacteria 159—3
- affected zone 270—2
- age 377—2
- agency
 accelerating agency 368—1
- aggregate 374—1
 coarse aggregate 387—2
 fine aggregate 376—3
 rubble aggregate 387—4
- agricultural belt 852—1
- aid to navigation 184—2
- air
 air brake 281—3
 air chamber 108—2
 air compressor 417—2
 air dump car 417—4
 air receiver 417—3
 air valve 108—3, 145—2
 air vent 118—2
- alarm
 automatic alarm 285—2
 alarm bell 282—3
 alarm signal 282—5
- alignment 222—1
- alley 349—5
- allotment garden 354—2
- allowable stress 7—2
- alumina cement 360—4
- anaerobic bacteria 158—1
- analysis
 sieve analysis 401—5
- anchor
 anchor block 104—3
 anchor bolt 238—4
- anchorage 204—4
- angle 37—4, 272—5
 connection angle 276—1
 deflection angle 51—4
 equal angle 263—3
 frictional angle 24—3
 meridian angle 52—2
 angle of repose 13—3, 386—4
 unequal angle 269—3
- anticreeper 297—2
- appliance
 safety appliance 322—5
- application
 cold application 221—1
 hot application 215—4
- applied mechanics 4—4
- approach 225—4, 264—3
 velocity of approach 31—3
- approaching velocity 31—3
- apron 86—3, 102—5
 124—3, 205—4
- apron dam 73—1
 fore apron 61—4
- aqueduct 114—5, 140—2

| | | | |
|---------------------------------|--------------|-----------------------------------|-------|
| arc welding | 262—5 | asphalt pavement | 213—3 |
| arcaded side walk | 352—2 | asphalt plant | 359—4 |
| arch | 247—3 | rock asphalt | 234—5 |
| braced arch | 250—2 | sheet asphalt pavement | 219—2 |
| arch bridge | 248—5 | asphaltic | |
| arch culvert | 372—5 | asphaltic cement | 212—5 |
| arch dam | 109—1, 135—4 | asphaltic concrete | 212—3 |
| hingeless arch | 272—4 | asphaltic concrete pavement | |
| multiple arch dam | 122—5 | 212—4 | |
| one hinged arch | 259—1 | asphaltic oil | 212—2 |
| solid rib arch | 265—5 | assessment | |
| spandrel braced arch | 245—1 | special assessment | 344—2 |
| three hinged arch | 251—4 | assistant engine | 323—2 |
| tied arch | 245—6 | attrition | 231—1 |
| two hinged arch | 265—1 | automatic | |
| area | | automatic alarm | 285—2 |
| built up area | 331—1 | automatic block signal | 310—1 |
| cross sectional area 35—1, 60—2 | | available | |
| area district | 356—2 | available capacity | 125—1 |
| drainage area | 169—4 | available head | 125—2 |
| effective area | 408—1 | avalanche | |
| green area | 357—5 | low avalanche of sand | |
| metropolitan area | 342—2 | & stones | 99—3 |
| arm | | avalanche of sand & | |
| dipper arm | 428—5 | stones | 100—3 |
| arterial street | 329—2 | avalanche of stones | 94—1 |
| artesian well | 136—4 | avenue | 352—5 |
| articulated car | 279—4 | average tank | 166—6 |
| ascension | | axis | |
| right ascension | 46—2 | neutral axis | 16—2 |
| ashlar | 368—5 | axis of flotation | 33—3 |
| ashler masonry | 369—1 | axle load | 309—5 |
| asphalt | 212—1, 359—2 | azimuth | 52—2 |
| asphalt block | 213—2 | | |
| blown asphalt | 402—3 | | |
| asphalt covering | 359—3 | | |
| cut back asphalt | 227—2 | | |
| asphalt emulsion | 213—1 | | |
| asphalt macadam pavement | | | |
| 213—4 | | | |
| asphalt mastic | 213—5, 359—5 | | |
| asphalt mixing plant | 412—2 | | |
| native asphalt | 225—2 | | |

B.

| | |
|-----------------------------|-------|
| back | |
| back filling | 363—3 |
| set back | 334—3 |
| setting back of levee | 33—1 |
| back slope | 56—3 |
| switch back station | 298—3 |
| backing | 363—3 |

| | | | |
|------------------------------|--------------------|----------------------------|--------------|
| backwater | 80—2, 121—1 | eye bar | 237—4 |
| backwater curve | 80—3, 121—2 | flat bar | 266—3 |
| backwater distance | 80—4 | lacing bar | 275—5 |
| bacteria | 160—3 | round bar | 272—1, 403—4 |
| aerobic bacteria | 159—3 | bar screen | 173—2 |
| anaerobic bacteria | 158—1 | splice bar | 316—1 |
| bacterial treatment | 160—4 | square bar | 364—5 |
| baffle | | barclan | 101—3 |
| baffle pier | 73—5 | barge | 201—1 |
| baffle wall | 144—1 | bottom hopper barge | 425—4 |
| baffle weir | 73—1 | barge canal | 68—5 |
| bag | | hopper barge | 196—5, 429—3 |
| sand bag | 382—1 | side hopper barge | 415—3 |
| balancing | 47—4 | barrier | 293—3 |
| balancing reservoir | 139—2 | bascule barrier | 290—3 |
| ball joint | 141—3 | rolling barrier | 294—1 |
| ballast | 202—1, 318—3 | bascule | |
| sub-ballast foundation | 281—2 | bascule barrier | 290—3 |
| bamboo | | bascule bridge | 259—5 |
| ground sill of bamboo | | base | |
| cylinder | 97—1 | black base | 229—4 |
| bank | | base course | 216—2 |
| bank caving | 58—4 | base length of levee | 75—4 |
| bank erosion | 58—4 | base line | 38—3 |
| left bank | 67—1 | base metal | 271—4 |
| left side bank | 67—1 | rigid wheel base | 306—5 |
| right bank | 55—3 | sub-base | 235—1 |
| right side bank | 55—3 | trolley base | 284—4 |
| river bank | 58—3 | base width | 72—5 |
| banking | 74—3, 406—2 | basin | 165—6, 206—1 |
| extra banking | 87—5 | catch basin | 166—3 |
| banquette | 66—2 | catchment basin | 88—2, 126—5 |
| inner banquette | 56—2 | closed basin | 206—5 |
| landside banquette | 56—2 | drainage basin | 88—2, 126—5 |
| outer banquette | 58—1 | half tide basin | 201—4 |
| waterside banquette | 58—1 | retarding basin | 87—1 |
| bar | 82—2, 271—3, 403—2 | river basin | 88—2, 126—5 |
| bent up bar | 364—1 | sand basin | 118—1, 142—3 |
| claw bar | 304—1 | sedimentation basin | 142—5 |
| deformed bar | 360—6 | settling basin | 118—1, 142—5 |
| detector bar | 307—3 | tidal basin | 194—4 |
| diagonal tension bar | 394—2 | turning basin | 191—2 |
| distribution bar | 397—3 | bat | |

| | | | |
|-------------------------------|--------------|-------------------------------|---------------------|
| half bat | 398—3 | alarm bell | 282—3 |
| batch | 398—5 | belt | |
| batch mixer | 399—1, 434—1 | agricultural belt | 352—1 |
| batcher plant | 399—2, 434—2 | belt conveyor | 435—5 |
| batter | 398—4 | beltline railway | 211—1 |
| batter of upstream face | 102—4 | bench cut | 223—4 |
| battery | | benching | 383—6 |
| storage battery | | bender | |
| locomotive | 427—5 | rail bender | 301—4 |
| beacon | 211—3 | bending moment | 24—2 |
| radio beacon | 209—1 | bent | |
| wireless beacon | 209—1 | bent pipe | 134—5 |
| beam | 20—4 | bent tube | 134—5 |
| beam bridge | 246—2 | bent up bar | 364—1 |
| built-in beam | 8—3 | berm | 55—1, 91—4 |
| continuous beam | 25—4 | berth | 202—4 |
| cross beam | 274—4 | betterment | 344—2 |
| fixed beam | 8—3 | bevel | |
| floor beam | 274—4 | double bevel butt joint | 275—4 |
| I-beam | 248—3 | single bevel butt joint | 241—4 |
| I-beam bridge | 248—2 | beveling | 405—4 |
| simple beam | 14—2 | bin | 204—5 |
| simply supported beam | 14—2 | binder | 217—2 |
| bear trap weir | 62—5, 107—2 | close binder | 231—3 |
| bearer | | binder course | 217—3 |
| mud bearer | 437—3 | open binder | 222—5 |
| bearing | 52—1, 252—2 | binding wire | 369—3 |
| bearing power | 9—5, 377—5 | biological treatment | 164—5 |
| bed | | bitumen | 232—4, 410—3 |
| contact bed | 165—1 | bituminous | |
| contact filter bed | 165—1 | bituminous cement | 233—2 |
| filter-bed | 151—4, 175—4 | bituminous concrete | 232—5 |
| major bed | 63—4 | bituminous macadam | |
| minor bed | 75—5 | pavement | 233—3 |
| bed plate | 254—2 | bituminous mastic | 233—1 |
| river bed | 59—4 | black base | 229—4 |
| road bed | 234—2 | blasting | 397—5 |
| bed rock | 112—2 | bleeding | 220—1 |
| bed sill | 78—1 | block | 203—2, 207—2, 329—3 |
| solid bed | 307—1 | anchor block | 104—3 |
| solid road bed | 307—1 | asphalt block | 213—2 |
| bed width | 72—5 | automatic block signal | 310—1 |
| bell | | nose block | 290—2 |

| | | | |
|--------------------------|--------------|----------------------------|-------|
| scotch block | 308—5 | borrow-pit | 393—5 |
| block section | 322—2 | bottle neck road | 331—5 |
| block signal | 322—3 | bottom | |
| stop block | 308—5 | bottom chord | 240—4 |
| block system | 346—4 | bottom heading | 391—4 |
| wood (en) block | | bottom hopper barge | 425—4 |
| pavement | 231—5 | bottom width | 72—5 |
| blow | | bottomed | |
| blow off pipe | 144—3 | flat bottomed rail | 305—2 |
| blow off valve | 120—4, 144—4 | boulder | 388—2 |
| blown asphalt | 402—3 | boulevard | 353—5 |
| board | | bow collector | 293—4 |
| flash board | 108—5 | bowl mixer | 430—3 |
| flash board weir | 58—5 | bowstring truss | 243—4 |
| gradient board | 306—3 | box culvert | 367—2 |
| levee free board | 77—5 | brace | |
| shuttering board | 383—4 | knee brace | 255—5 |
| boat | | rail brace | 301—1 |
| drill boat | 420—4 | braced | |
| tug boat | 203—4, 434—4 | braced arch | 250—2 |
| bob | | spandrel braced arch | 245—1 |
| plumb bob | 41—1 | bracing | 275—2 |
| body | | lateral bracing | 239—2 |
| levee body | 76—1 | portal bracing | 244—3 |
| volume of dam body | 105—3 | sway bracing | 257—5 |
| bogie | | bracket | 406—1 |
| bogie car | 292—3 | double bracket pole | 294—5 |
| bogie truck | 292—4 | bracket pole | 277—5 |
| bollard | 182—3 | single bracket pole | 279—1 |
| bolt | | brake | 286—1 |
| anchor bolt | 238—4 | air brake | 281—3 |
| erection bolt | 243—1 | brake crusher | 435—4 |
| bond | 405—1 | brake truss | 256—3 |
| cross bond | 294—2 | branch | |
| rail bond | 292—5 | distributing branch | 145—5 |
| bond stress | 401—1 | branch river | 81—3 |
| wire rope bond | 290—4 | branch sewer | 162—1 |
| bonded warehouse | 207—3 | break | |
| book | | dike break | 81—4 |
| field book | 53—1 | breaker | |
| boom | 128—1, 435—3 | ice breaker | 186—4 |
| boring | 403—3 | trolley breaker | 278—4 |
| boring machino | 420—5 | wave breaker | 200—1 |

| | | | |
|----------------------|--------------|----------------------------|-------|
| breaking strength | 20-2 | buffer | 279-3 |
| breakwater | 208-1 | buffer stop | 303-5 |
| composite breakwater | 185-4 | building | |
| mound breakwater | 190-1 | building line | 334-4 |
| upright breakwater | 195-2 | building regulation | 334-5 |
| breast work | 180-5 | built | |
| brick | 410-4 | built-in beam | 8-3 |
| brick masonry | 410-5 | built up area | 331-1 |
| brick pavement | 233-4 | built up section | 253-1 |
| bridge | 244-4 | bulk | |
| arch bridge | 248-5 | bulk cargo | 202-2 |
| bascule bridge | 259-5 | bulk district | 356-5 |
| beam bridge | 246-2 | bulkhead | 202-3 |
| cantilever bridge | 264-1 | bull head rail | 303-4 |
| bridge crane | 200-5 | bumper | 303-5 |
| deck bridge | 255-3 | bund | 328-1 |
| fixed bridge | 250-3 | bundle | |
| foot bridge | 271-2 | fascine bundle | 90-2 |
| halfthrough bridge | 259-4 | bunkering | 203-1 |
| highway bridge | 264-5 | buoy | 206-2 |
| I-beam bridge | 248-2 | light buoy | 198-2 |
| landing bridge | 186-6 | mooring buoy | 182-4 |
| lift bridge | 253-4 | buoyancy | 34-1 |
| movable bridge | 242-2 | center of buoyancy | 33-2 |
| overbridge | 250-5, 306-4 | Burtoning | 202-5 |
| pontoon bridge | 238-7 | bus | |
| railway bridge | 261-4 | electric trolley bus | 293-2 |
| shore bridge | 210-4 | bush | |
| skew bridge | 252-4 | bush hammered | 400-4 |
| suspension bridge | 261-1 | bush hedge | 98-4 |
| swing bridge | 256-5 | business | |
| through bridge | 243-2 | centralization of business | 333-5 |
| transfer bridge | 276-3 | business centre | 334-1 |
| broad | | business quarter | 333-4 |
| broad gauge | 305-1 | butt | |
| broad irrigation | 156-4 | butt joint | 254-1 |
| bucket | 433-2 | double bevel butt joint | 275-4 |
| bucket dredger | 201-6, 433-4 | double vee butt joint | 230-1 |
| bucket excavator | 433-3 | single bevel butt joint | 241-4 |
| bucket ladder | 433-5 | single vee butt joint | 269-4 |
| orange peel bucket | 430-2 | square butt joint | 237-3 |
| buckle plate | 239-3 | butt weld | 260-2 |
| buckling | 9-3 | butterfly valve | 121-5 |

| | | | |
|-----------------|--------------|--|--------------|
| buttress dam | 123-1, 148-1 | car dumper | 178-3 |
| buttressed wall | 401-4 | four wheel car | 294-4 |
| bypath | 141-2, 346-1 | freight car | 299-1 |
| | | car gauge | 308-4 |
| | | low deck car | 288-4 |
| | | motor car | 324-2 |
| | | much car | 424-3 |
| | | one man car | 296-3 |
| | | open car | 278-2 |
| | | passenger car | 302-3 |
| | | P.A.Y.E. car (pay as you enter car) | 291-3 |
| | | rail car | 280-5 |
| | | railless car | 293-2 |
| | | single-ended car | 287-2 |
| | | street car | 283-3 |
| | | surface car | 296-1 |
| | | tipping car | 427-3 |
| | | trailer car | 291-5 |
| | | trolley car | 285-1 |
| | | cargo | 191-1 |
| | | bulk cargo | 202-2 |
| | | general cargo | 187-1 |
| | | carpet | 227-5 |
| | | carriage | |
| | | drill carriage | 432-3 |
| | | carriageway | 219-4 |
| | | cart | 429-1 |
| | | catapiller | 437-5 |
| | | catapiller gate | 107-3 |
| | | catch | |
| | | catch basin | 166-3 |
| | | catch siding | 297-1 |
| | | catchment basin | 88-2, 126-5 |
| | | catenary | 5-5 |
| | | compound catenary | 291-4 |
| | | double catenary | 286-2 |
| | | single catenary | 287-3 |
| | | catenary wire | 295-4 |
| | | caving | |
| | | bank caving | 58-4 |
| | | celestial sphere | 49-1 |
| | | cell | |
| | | cable | |
| | | cable crane | 420-3 |
| | | cable railway | 305-4 |
| | | cable tramway | 305-4 |
| | | cableway | 414-1 |
| | | aerial cableway | 298-4 |
| | | caisson | 176-6, 195-3 |
| | | pneumatic caisson | 191-3 |
| | | 385-4 | |
| | | calling on signal | 324-3 |
| | | camber | 215-1, 257-4 |
| | | canal | 56-4 |
| | | barge canal | 68-5 |
| | | drainage canal | 80-5 |
| | | canal incline | 55-2 |
| | | irrigation canal | 87-3 |
| | | lateral canal | 73-2 |
| | | canal lift | 57-2 |
| | | canal reach | 57-1 |
| | | ship canal | 74-2 |
| | | side canal | 73-2 |
| | | canalization | 56-5 |
| | | cant | 299-5 |
| | | cantilever | 5-4 |
| | | cantilever bridge | 264-1 |
| | | cap | 133-5 |
| | | capacity | |
| | | available capacity | 125-1 |
| | | capital | 342-3 |
| | | capstan | 180-4 |
| | | car | 283-4 |
| | | air dump car | 417-4 |
| | | articulated car | 279-4 |
| | | bogie car | 292-3 |
| | | closed car | 232-1 |
| | | double deck car | 230-5 |
| | | dump car | 427-3 |

C.

| | | | |
|---------------------------------|--------------|-------------------------|--------------------|
| empty cell process | 370-5 | air chamber | 108-2 |
| full cell process | 380-4 | grit chamber | 167-5 |
| cement | 385-1 | inspection chamber | 155-1 |
| alumina cement | 360-4 | intercepting chamber | 155-1 |
| asphaltic cement | 212-5 | lock chamber | 63-1 |
| bituminous cement | 233-2 | regulating chamber | 141-5 |
| cement gun | 385-2, 424-5 | chamber surge tank | 113-4 |
| high early strength cement | 386-3 | channel | 71-4, 114-4, 272-2 |
| cement paste | 385-3 | diversion channel | 84-4, 118-3 |
| water cement ratio | 404-3 | flood diversion channel | 109-4 |
| census | | high water channel | 63-4 |
| traffic census | 217-4 | low water channel | 75-5 |
| center | | open channel | 26-4 |
| administrative center | 333-3 | river channel | 59-5 |
| business center | 334-1 | sodded channel | 101-1 |
| civic center | 351-2 | check | 373-5 |
| educational center | 331-4 | check valve | 135-1 |
| government center | 338-5 | checkerboard system | 355-2 |
| municipal center | 340-3 | chemical | |
| neighbourhood center | 333-2 | chemical precipitation | 174-1 |
| center of buoyancy | 33-2 | chemical treatment | 173-4 |
| center of gravity | 11-2 | chessboard system | 355-2 |
| transportation center | 336-5 | chips | 218-4, 376-5 |
| centering | 386-2 | chlorination | 132-1, 154-3 |
| centralization | | chord | 246-4 |
| centralization of business | 333-5 | bottom chord | 240-4 |
| centralization of population | 350-5 | curved chord truss | 244-5 |
| centre | 248-1 | loaded chord | 251-1 |
| centre pole | 288-1 | lower chord | 240-4 |
| shifting centre | 37-1 | chord member | 246-5 |
| centrifugal | | parallel chord truss | 260-1 |
| centrifugal moment | 6-2 | top chord | 254-5 |
| centrifugal pump | 413-1 | unloaded chord | 269-2 |
| cesspool | 157-5 | upper chord | 254-5 |
| chain | 48-3 | chute | 392-3, 430-4 |
| (engineer's) chain | 48-3 | log chute | 126-4 |
| manoeuvring chain | 425-2 | cinder concrete | 388-3 |
| (measuring) chain | 48-3 | circle | 353-1 |
| (surveyor's) chain | 48-3 | hour circle | 43-5 |
| chair | 315-1 | circle levee | 90-5 |
| chamber | 165-6 | traffic circle | 335-5 |
| | | circuit street | 344-3 |
| | | circular hoop | 367-1 |

| | | | |
|---------------------------|--------------|----------------------------|--------------------|
| circumpolar star | 41-4 | seal coat | 230-1 |
| city | | wearing coat | 228-2 |
| garden city | 350-2 | coating | 143-5 |
| city planning | 350-3 | cobble | 371-2 |
| civic | | coefficient | |
| civic center | 351-2 | coefficient of contraction | 29-4 |
| civic survey | 351-3 | coefficient of discharge | 33-1 |
| civil time | 44-5 | coefficient of friction | 24-4 |
| clamshell | 181-3, 418-3 | coefficient of roughness | 31-6 |
| clamshell dredge | 181-4, 418-4 | coefficient of runoff | 88-4 |
| clarifier | 155-3 | | 127-2, 174-3 |
| classification of pebbles | 95-4 | coefficient of velocity | 35-4 |
| claw bar | 304-1 | retardation coefficient | 167-2 |
| clay | 395-4 | coffer dam | 378-4 |
| clean water reservoir | 139-2 | sheet pile cofferdam | 407-1 |
| | 146-1 | cohesion | 20-1 |
| clear | | cold application | 221-1 |
| clear head | 237-5 | collecting | |
| clear span | 245-5 | collecting sewer | 168-7 |
| clearance limit | 304-3 | collecting well | 137-4 |
| clinker | 216-4 | collector | 284-1 |
| close binder | 231-3 | bow collector | 293-4 |
| closed | | pentagraph collector | 291-2 |
| closed basin | 206-5 | collector shoe | 283-5 |
| closed car | 282-1 | collision | |
| closed conduit | 152-2 | point of collision | 342-5 |
| closed end well | 131-4 | column | 20-3, 397-4, 415-1 |
| closet | 172-2 | composite column | 376-2 |
| water closet | 173-3 | long column | 16-4, 390-3 |
| closure | | short column | 388-4 |
| error of closure | 51-1 | combined | |
| ratio of closure | 50-8 | combined sewer | 160-1 |
| clump | | combined system | 160-2 |
| rail clump | 280-3 | commercial district | 342-4 |
| coach yard | 302-4 | commode handle | 285-3 |
| coagulant | 142-4 | common | 332-3 |
| coal | | common sewer | 159-5 |
| coal hoist | 210-3 | compartment | |
| coal tar | 374-2 | tidal compartment | 62-2 |
| coal tar pitch | 374-3 | compass | 40-3 |
| coarse aggregate | 387-2 | dial compass | 39-4 |
| coat | 227-4 | hanging compass | 37-5 |
| flush coat | 230-1 | miner's compass | 39-4 |

| | | | |
|-----------------------|-------|---------------------------|---------------------|
| radio compass station | 209-2 | plain concrete | 404-5 |
| compensating error | 43-3 | precast concrete | 375-1 |
| compensation | | reinforced concrete | 391-6 |
| curve compensation | 303-2 | rubble concrete | 387-3 |
| complete contraction | 27-1 | concreting in site | 372-2 |
| complex torrent | 96-5 | condemnation | |
| composite | | excess condemnation | 348-4 |
| composite breakwater | 185-4 | incidental condemnation | 348-4 |
| composite column | 376-2 | zone condemnation | 347-3 |
| composite tie | 283-2 | conditional observation | 44-4 |
| compound | | conduit | 107-4, 134-4, 157-4 |
| compound catenary | 291-4 | closed conduit | 152-2 |
| compound curve | 321-1 | lock conduit | 62-6 |
| compound lock | 84-3 | open conduit | 155-5 |
| comprehensive plan | 345-5 | pressure conduit | 104-1 |
| compression | | conduit system | 277-2 |
| direct compression | 16-5 | confluence | 66-4 |
| compression flange | 247-6 | congestion | |
| compression member | 238-1 | traffic congestion | 336-2 |
| compressive | | conical mixer | 418-3 |
| compressive strain | 1-4 | conjugate stress | 7-1 |
| compressive strength | 1-3 | connected | |
| compressive stress | 1-2 | pin connected truss | 267-5 |
| compressor | | connected Y | 283-1 |
| air compressor | 417-2 | through connected Y | 282-3 |
| concentrated load | 10-1 | connection | |
| concentration | | connection angle | 276-1 |
| time of concentration | 174-5 | house connection | 156-1 |
| concentric system | 329-1 | consolidation | |
| concrete | | consolidation dam | 99-4 |
| asphaltic concrete | 212-3 | consolidation dam with | |
| asphaltic concrete | | live material | 92-4 |
| pavement | 212-4 | consolidation work | 99-5 |
| bituminous concrete | 232-5 | construction | |
| cinder concrete | 388-3 | flat slab construction | 404-6 |
| cyclopean concrete | 368-4 | construction gauge | 304-3 |
| concrete depositing | 374-5 | construction joint | 384-3 |
| concrete distributing | | materials of construction | 394-1 |
| tower | 419-4 | contact | |
| concrete mixer | 419-2 | contact bed | 165-1 |
| concrete mixing plant | 375-2 | contact filter | 165-1 |
| concrete pavement | 218-3 | contact filter bed | 165-1 |
| concrete placer | 419-3 | continuous | |

| | | | |
|----------------------------|-------------|-------------------------|--------------|
| continuous beam | 25-4 | covering | 366-1 |
| continuous load | 25-3 | asphalt covering | 359-3 |
| continuous mixer | 438-1 | covering of fascine | 98-3 |
| continuous weld | 276-2 | crack | |
| contour | 50-1 | contraction crack | 378-5 |
| contracta | | hair crack | 405-5 |
| vena contracta | 34-2 | cradle | 191-5 |
| contracted vein | 34-2 | craft | 185-3 |
| contraction | 29-3 | crane | 179-6, 415-1 |
| coefficient of contraction | 29-4 | bridge crane | 200-5 |
| complete contraction | 27-1 | cable crane | 420-3 |
| contraction crack | 378-5 | derrick crane | 429-4 |
| incomplete contraction | 33-1 | fixed crane | 196-2 |
| contraction joint | 379-1 | floating crane | 180-1, 415-5 |
| control | | gantry crane | 179-4 |
| flood control | 63-5 | goliath crane | 186-2, 419-5 |
| traffic control | 336-4 | halfportal crane | 201-5 |
| traffic control signal | 337-2 | hammerhead crane | 195-5 |
| conveyor | 185-5 | level luffing crane | 189-4 |
| belt conveyor | 435-5 | shear leg crane | 187-2 |
| coping stone | 365-4 | titan crane | 193-3, 425-5 |
| core | 10-5, 112-4 | tower crane | 197-2 |
| puddle core | 120-3 | travelling crane | 176-2 |
| core wall | 112-4 | crater | 260-4 |
| puddle core wall | 120-3 | end crater | 260-4 |
| corner cut-off | 329-4 | crawler | 437-5 |
| counter | 258-1 | crest | |
| counter dam | 97-4 | dam of horizontal crest | 97-2 |
| counter sunk rivet | 251-2 | dam of inclined crest | 93-3 |
| counterforted wall | 372-4 | crest of dam | 118-5 |
| couple | 7-4 | crevasse | 81-4 |
| coupling | 133-1 | crib dam | 103-4 |
| course | 222-2 | cribwork | 90-3 |
| base course | 216-2 | crimp | 245-3 |
| binder course | 217-3 | critical velocity | 28-1 |
| foundation course | 216-2 | cross | |
| river course | 60-5 | cross beam | 274-4 |
| water course | 89-5 | cross bond | 294-2 |
| wearing course | 228-1 | double cross over | 305-5 |
| coursed rubble masonry | 394-4 | cross fall | 215-2 |
| cover | | cross levee | 57-5 |
| cover plate | 243-3 | cross over | 326-3 |
| standing ground cover | 98-5 | cross pipe | 138-4 |

| | | | |
|-------------------------|-------|--------------------------|--------------|
| derailer | 314-3 | digestion tank | 163-1 |
| derailing point | 314-4 | dike | 76-3 |
| derrick | 197-1 | dike break | 81-4 |
| derrick crane | 429-4 | longitudinal dike | 85-4 |
| destination | | parallel dike | 85-4 |
| traffic destination | 341-4 | spur dike | 70-3 |
| detail drawings | 379-3 | dilution | 157-3 |
| detector bar | 307-3 | dipper | 428-3 |
| detension reservoir | 64-1 | dipper arm | 428-5 |
| determinate | | dipper dredger | 195-4, 428-4 |
| statically determinate | | dipper handle | 428-5 |
| stress | 12-2 | direct | |
| detonator signal | 319-4 | direct compression | 16-5 |
| detonator | 409-1 | direct stress | 17-1 |
| detritus tank | 167-5 | direct tension | 17-2 |
| development | | disc | 22-5 |
| estate development | 340-1 | discharge | 89-2, 128-3 |
| development plan | 328-4 | coefficient of discharge | 86-1 |
| deversoir | 54-5 | discharge curve | 89-3, 128-4 |
| deviation | | discharge diagram | 89-4 |
| point of deviation | 354-1 | discharge duration curve | 127-1 |
| device | | flood discharge | 64-4 |
| dosing device | 156-3 | discharge hydrograph | 89-4 |
| diagonal | | discharge mass curve | 128-5 |
| diagonal member | 252-5 | discharge pipe | 432-4 |
| diagonal street | 340-4 | traffic discharge | 338-1 |
| diagonal tension bar | 394-2 | disinfection | 163-2 |
| diagram | | disk water meter | 132-3 |
| discharge diagram | 89-4 | displacement | 23-1, 200-3 |
| load-elongation diagram | 5-2 | disposal | |
| stress strain diagram | 4-3 | garbage disposal | 347-5 |
| wind diagram | 205-1 | refuse disposal | 345-1 |
| dial compass | 39-4 | sewage disposal | 158-5 |
| diamond crossing | 320-3 | distance | |
| diaphragm | 240-3 | backwater distance | 80-4 |
| diaphragm pump | 437-2 | levee distance | 76-5 |
| diesel | | distance post | 303-3 |
| diesel electric shovel | 428-2 | safe sight distance | 214-1 |
| diesel shovel | 428-1 | sight distance | 219-1 |
| differential surge tank | 110-4 | distant signal | 298-2 |
| diffuser | 161-2 | distributed load | 22-4 |
| digestion | | distributing | |
| sludge digestion | 155-4 | distributing branch | 145-5 |

| | | | |
|-------------------------|--------------|--------------------------|--------------|
| concrete distributing | | double | |
| tower | 419-4 | double acting pile | |
| distributing main | 146-3 | hammer | 435-2 |
| distributing pipe | 145-3 | double bevel butt joint | 275-4 |
| distributing reservoir | 146-1 | double bracket pole | 204-5 |
| distribution bar | 397-3 | double catenary | 286-2 |
| district | | double cross over | 305-5 |
| area district | 356-2 | double deck car | 289-5 |
| bulk district | 356-5 | double deck street | 351-5 |
| commercial district | 342-4 | double decker | 289-5 |
| drainage district | 169-3 | double filtration | 145-1 |
| height district | 338-3 | double head rail | 313-3 |
| industrial district | 335-3 | double level street | 346-5 |
| residential district | 343-5 | double rope grab | 435-1 |
| use district | 357-1 | double slip switch | 325-3 |
| districting | 347-1 | double vee butt joint | 239-1 |
| ditch | | down | |
| drainage ditch | 80-5 | drop down curve | 28-2 |
| irrigation ditch | 87-3 | draft | |
| side ditch | 222-3, 386-5 | draft head | 180-3 |
| diversion | | draft tube | 107-1 |
| diversion channel | 84-4, 118-3 | drag head | 106-5 |
| flood diversion channel | 109-4 | drag head | 431-4 |
| diversion tunnel | 121-3 | dragline | 431-5 |
| dividing well | 148-2 | drain | |
| dock | | house drain | 156-1 |
| depositing dock | 201-3 | drain pipe | 145-4 |
| dry dock | 178-6 | V-drain | 229-3 |
| floating dock | 176-5 | drainage | 169-2, 397-1 |
| graving dock | 178-6 | drainage area | 169-4 |
| offshore dock | 182-1 | drainage basin | 88-2, 126-5 |
| sectional dock | 181-2 | drainage canal | 80-5 |
| wet dock | 200-4 | drainage district | 169-3 |
| docking | | drainage ditch | 80-5 |
| self docking | 188-5 | drainage of fascine work | 98-2 |
| dodge crusher | 431-2 | surface drainage | 235-4 |
| dog spike | 297-3 | under drainage | 223-5 |
| dolphin | 199-5 | draught | 180-3 |
| door | | draw-door weir | 87-4 |
| draw-door weir | 87-4 | drawer | |
| trap door | 288-3 | pile drawer | 417-1 |
| dormitory population | 356-3 | drawings | |
| dosing device | 156-3 | detail drawings | 379-3 |
| | | dredge | 187-6, 421-3 |

| | | | |
|------------------------|--------------|--------------------------|--------------|
| clamshell dredge | 181—4, 418—4 | dump level | 48—2 |
| hydraulic dredge | 208—3, 436—4 | dune | 95—1 |
| ladder dredge | 201—6, 433—4 | isolated dune | 94—4 |
| dredger | 187—6, 421—3 | travelling dune | 91—1 |
| bucket dredger | 201—6, 433—4 | duration | |
| dipper dredger | 195—4, 428—4 | discharge duration curve | 127—1 |
| grab dredger | 181—4, 418—4 | durax pavement | 219—5 |
| selfpropelling dredger | 422—1 | dust | |
| suction dredger | 208—3, 436—4 | dust layer | 280—4 |
| dredging | 68—3, 187—5 | stone dust | 214—3, 361—1 |
| dredging pump | 421—4 | D.W.F. | 164—4 |
| drift | | d.w.f. | 164—4 |
| littoral drift | 204—2 | | |
| drift pin | 264—6 | | |
| urban drift | 350—5 | | |
| drifter | 432—2 | | |
| drill | | | |
| drill boat | 420—4 | | |
| drill carriage | 432—3 | | |
| rock drill | 420—2 | | |
| drill sharpener | 421—1 | | |
| drill steel | 422—5 | | |
| drilling | 251—3, 386—1 | | |
| drinking fountain | 149—6 | | |
| driven well | 131—4 | | |
| driver | | | |
| pile driver | 416—4 | | |
| drop | | | |
| drop down curve | 28—2 | | |
| drop test | 409—2 | | |
| drum | 437—1 | | |
| drum mixer | 432—1 | | |
| dry | | | |
| dry dock | 178—6 | | |
| dry excavation | 366—3 | | |
| dry masonry | 366—2 | | |
| dry masonry dam | 93—1 | | |
| dry weather flow | 164—4 | | |
| dump | | | |
| air dump car | 417—4 | | |
| dump car | 427—3 | | |
| dumper | | | |
| car dumper | 178—3 | | |

E

| | |
|------------------------|--------------|
| earth | |
| active earth pressure | 10—3 |
| earth dam | 119—5, 144—2 |
| earth pressure | 18—5 |
| passive earth pressure | 11—4 |
| earthroad | 226—3 |
| earthworks | 78—4, 393—2 |
| easement curve | 300—1 |
| ebb tide | 211—1 |
| eccentric load | 270—3 |
| ecciptic | 40—1 |
| eddy flow | 26—5 |
| educational center | 331—4 |
| effective | |
| effective area | 408—1 |
| effective depth | 407—5 |
| effective head | 125—2 |
| effective span | 252—1 |
| efflorescence | 309—4 |
| elastic | |
| elastic curve | 15—1 |
| elastic limit | 15—3 |
| elastic line | 15—1 |
| elastic surface | 15—2 |
| elastica | 15—4 |
| elasticity | 14—3 |
| modulus of elasticity | 14—5 |
| ratio of moduli of | |

| | | | |
|-------------------------|-------------|-------------------------|-------------|
| elasticity | 389—1 | engine shed | 300—4 |
| elbow | 131—5 | (engineer's) chain | 48—3 |
| electric | | enlargement | |
| diesel electric shovel | 423—2 | levee enlargement | 76—4 |
| electric shovel | 429—5 | entrance head | 35—6 |
| electric trolley bus | 293—4 | equal angle | 263—3 |
| electrode | 262—4 | equalizing tank | 166—6 |
| electrolytic treatment | 168—4 | equation of time | 44—2 |
| elevated | | equilibrium | 17—4 |
| elevated railway | 304—5 | equilibrium profile | 102—1 |
| elevated tank | 135—5 | profile of equilibrium | 102—1 |
| elevation | | equinoctial tide | 203—3 |
| elevation head | 28—5 | equinox | |
| super elevation | 299—5 | vernal equinox | 43—2 |
| track elevation | 312—3 | equivalent uniform load | 263—2 |
| elevator | 413—2 | erection | 241—2 |
| grain elevator | 184—5 | erection bolt | 243—1 |
| ellipse | | erosion | 96—3, 188—2 |
| strain ellipse | 22—1 | bank erosion | 58—4 |
| stress ellipse | 4—2 | lateral erosion | 103—1 |
| elongation | 53—3 | longitudinal erosion | 99—1 |
| load-elongation diagram | 5—2 | erosion torrent | 96—4 |
| embankment | 76—3, 389—3 | transversal erosion | 103—1 |
| empty cell process | 370—5 | error | 40—4 |
| Emscher tank | 152—3 | compensating error | 43—3 |
| emulsion | | error of closure | 51—1 |
| asphalt emulsion | 213—1 | personal error | 40—2 |
| end | | probable error | 45—1 |
| dead end road | 353—2 | establishment of port | 194—1 |
| end crater | 260—4 | estate development | 340—1 |
| closed end well | 131—4 | estuary | 59—1 |
| fixed end | 250—4 | excavation | 371—1 |
| movable end | 242—3 | dry excavation | 366—3 |
| end post | 259—2 | pit excavation | 395—1 |
| roller end | 262—3 | wet excavation | 381—2 |
| sliding end | 242—1 | excavation with | |
| end station | 309—1 | timbering | 407—2 |
| endurance limit | 17—3 | excavation without | |
| energy | 3—5 | timbering | 382—2 |
| kinetic energy | 3—2 | excavator | 417—5 |
| potential energy | 2—5 | bucket excavator | 433—3 |
| engine | 300—3 | ladder excavator | 433—3 |
| assistant engine | 323—2 | tower excavator | 430—1 |

| | | | |
|-------------------------------|--------------|-----------------------------------|--------------|
| trench excavator | 437—4 | poling fencing | 97—3 |
| wheel excavator | 421—2 | fender | 207—5; 281—1 |
| excess condemnation | 348—4 | lock fender | 295—5 |
| execution | 384—2 | permenter fender | 291—1 |
| expansion joint | 220—2, 254—3 | ferrule | 148—3 |
| | 380—1 | ferry | 198—4 |
| extra banking | 87—5 | railway ferry | 317—3 |
| extractor | | fetch | 198—2 |
| sludge extractor | 155—3 | field | |
| eye | | field book | 53—1 |
| eye bar | 237—4 | groin field | 70—4 |
| eye piece | 47—5 | field mix | 372—3 |
| wall eye | 292—1 | field rivet | 247—1 |
| | | field work | 38—1 |
| | | fill up ground | 406—3 |
| | | filler | 225—1, 262—1 |
| | | fillet | |
| | | frontal fillet | 257—1 |
| | | lateral fillet | 257—3 |
| | | fillet weld | 256—1 |
| | | filling | |
| | | back filling | 863—3 |
| | | filter | 150—5, 175—4 |
| | | filter bed | 151—4, 175—4 |
| | | contact filter | 165—1 |
| | | contact filter bed | 165—1 |
| | | filter gallery | 137—5 |
| | | filter layer | 151—1 |
| | | mechanical filter | 134—2 |
| | | filter medium | 151—3, 175—3 |
| | | percolating filter | 161—5 |
| | | pressure filter | 130—1 |
| | | rapid filter | 134—2 |
| | | sprinkling filter | 161—5 |
| | | trickling filter | 161—5 |
| | | filtering medium | 151—3, 175—3 |
| | | filtration | 150—4, 175—2 |
| | | double filtration | 145—1 |
| | | rapid (sand) filtration | 134—3 |
| | | rate of filtration | 151—2 |
| | | slow (sand) filtration | 133—3 |
| | | altros plate | 161—3 |
| | | final settling tank | 160—5 |

F.

| | | | |
|------------------------------------|-------|--|--|
| face | | | |
| batter of upstream face | 102—4 | | |
| facility | | | |
| recreation facility | 331—3 | | |
| terminal facilities | 187—4 | | |
| facing | 399—5 | | |
| facing point | 313—5 | | |
| factor | | | |
| load factor | 122—4 | | |
| factor of safety | 2—2 | | |
| runoff factor | 88—4 | | |
| faat | 78—3 | | |
| fall | | | |
| cross fall | 215—2 | | |
| false work | 237—7 | | |
| fan system | 165—2 | | |
| fare zone | 349—2 | | |
| fascine | 73—3 | | |
| fascine bundle | 90—2 | | |
| covering of fascine | 98—3 | | |
| drainage of fascine work | 98—2 | | |
| low dam of fascine | 97—5 | | |
| fascine mattress | 73—4 | | |
| fascine work | 98—1 | | |
| fathom | 204—3 | | |
| fatigue limit | 17—3 | | |
| fencing | | | |

| | | | |
|----------------------------------|--------------|-----------------------------------|--------------|
| fine aggregate | 376—3 | floating dock | 176—5 |
| finisher | | floating pier | 176—4 |
| road finisher | 438—2 | flood | 63—2 |
| finishing | | flood control | 63—5 |
| surface finishing | 406—3 | flood curve | 63—3 |
| fish | | flood discharge | 64—4 |
| fish pass | 108—1 | flood diversion channel | 109—4 |
| fish plate | 316—1 | flood periphery | 82—1 |
| fish way | 108—1 | flood prediction | 64—3 |
| fishery harbour | 181—1 | flood protection | 64—2 |
| fixed | | flood tide | 188—1 |
| fixed beam | 8—3 | footway | 84—4 |
| fixed bridge | 250—3 | floor | 273—2 |
| fixed crane | 196—2 | floor beam | 274—4 |
| fixed dam | 109—5 | open floor | 239—4 |
| fixed end | 250—4 | solid floor | 270—1 |
| fixed light | 205—5 | floor system | 273—3 |
| fixed load | 8—2 | floatation | |
| fixed weir | 66—3 | axis of floatation | 33—8 |
| flag | 361—5 | flow | |
| flagstone pavement | 214—4 | dry weather flow | 164—4 |
| flange | 263—5 | eddy flow | 26—5 |
| compression flange | 247—6 | nonuniform flow | 33—5 |
| flange groove | 295—1 | steady flow | 32—3 |
| flange joint | 143—4 | streamline flow | 31—1 |
| flange pipe | 143—3 | flow test | 402—2 |
| tension flange | 249—4 | turbulent flow | 26—5 |
| flap gate | 171—1 | uniform flow | 32—4 |
| flash | | unsteady flow | 33—4 |
| flash board | 108—5 | wet weather flow | 153—5 |
| flash board weir | 58—5 | flush | |
| flashing light | 191—6 | flush coat | 230—1 |
| flat | | flush tank | 165—3 |
| flat bar | 266—3 | flushing tank | 165—3 |
| flat bottomed rail | 305—2 | flux | 232—1 |
| flat slab construction | 404—6 | focussing | 43—4 |
| flat valve | 147—4 | fog signal | 209—3 |
| flat weld | 252—3 | foot | |
| flattened rivet | 266—4 | foot bridge | 271—2 |
| flexural rigidity | 24—1 | foot path | 230—3, 355—5 |
| flood | 206—3 | foot protection | 79—2 |
| floating | | foot valve | 147—5 |
| floating crane | 180—1, 415—5 | foot walk | 222—4 |

| | | | |
|----------------------------|--------------|-------------------------|-------|
| footing | 387-5 | frontage plan | 356-1 |
| force | | frontal fillet | 257-1 |
| force main | 152-1 | tull cell process | 380-4 |
| force polygon | 16-1 | funicular polygon | 25-5 |
| resultant force | 8-5 | furnace | |
| shearing force | 12-4 | oil furnace | 412-3 |
| forced | | fuse | 392-5 |
| forced vibration | 6-5 | fusion zone | 273-1 |
| forced wave | 192-1 | | |
| fore apron | 61-4 | | |
| foreland | 75-3 | | |
| forest park | 343-2 | | |
| form | 365-5 | | |
| formation level .. | 221-5, 311-4 | | |
| foundation | 367-5 | | |
| foundation course | 216-2 | | |
| grill foundation | 373-2 | | |
| pile foundation | 370-3 | | |
| stepped foundation | 364-3 | | |
| sub-ballast foundation .. | 281-2 | | |
| well foundation | 362-3 | | |
| fountain | | | |
| drinking fountain | 149-6 | | |
| four wheel car | 294-4 | | |
| frame | 23-3, 246-3 | | |
| rigid frame | 25-2, 244-1 | | |
| free | | | |
| levee free board | 77-5 | | |
| free port | 189-2 | | |
| free vibration | 11-3 | | |
| free wave | 210-5 | | |
| freeboard | 178-5 | | |
| freight | | | |
| freight car | 290-1 | | |
| freight yard | 299-3 | | |
| friction | | | |
| coefficient of friction .. | 24-4 | | |
| friction head | 34-4 | | |
| frictional angle | 24-3 | | |
| frog | 321-4 | | |
| frog number | 321-5 | | |
| switch and frog | 322-1 | | |
| front slop | 58-2 | | |

G.

| | | | |
|----------------------------|--------------|----------------------------|------|
| gage | | rain gage | 55-5 |
| recording rain gage | 69-3 | recording water gage | 69-4 |
| recording water gage | 69-4 | staff gage | 90-1 |
| water gage | 90-1 | water gage | 90-1 |
| gallery | | | |
| filter gallery | 137-5 | | |
| inspection gallery | 106-3 | | |
| gangway | 211-5 | | |
| gantry crane | 179-4 | | |
| garbage disposal | 347-5 | | |
| garden | | | |
| allotment garden | 354-2 | | |
| garden city | 350-2 | | |
| garden suburb | 350-1 | | |
| gate | | | |
| catapiller gate | 107-3 | | |
| flap gate | 171-1 | | |
| intake gate | 111-6, 137-3 | | |
| lift gate | 82-6 | | |
| lift gate weir | 87-4 | | |
| lock gate | 66-1 | | |
| mitre gate | 68-2 | | |
| gate recess | 78-3 | | |
| regulating gate | 115-4 | | |
| roller gate | 129-2 | | |
| rolling gate | 119-2 | | |
| sluice gate | 71-3, 114-2 | | |
| 140-1, 164-3 | | | |
| stoney gate | 115-1 | | |
| tainter gate | 119-1 | | |
| tide gate | 173-1 | | |
| wash out gate | 165-4 | | |
| gauge | | | |
| broad gauge | 305-1 | | |
| car gauge | 308-4 | | |
| construction gauge | 304-3 | | |
| narrow gauge | 302-5 | | |
| gauge of track | 300-2 | | |
| rolling stock gauge | 308-4 | | |
| standard gauge | 320-5 | | |
| tide gage | 39-3 | | |
| gauge tie | 304-4 | | |
| widening of gauge | 311-1 | | |
| gauging well | 150-3 | | |
| general cargo | 187-1 | | |
| geometrical moment | 6-4 | | |
| geostatic curve | 18-4 | | |
| giant | | | |
| hydraulic giant | 423-2 | | |
| girder | | | |
| main girder | 253-2 | | |
| plate girder | 265-4 | | |
| glacial torrent | 101-4 | | |
| glass | | | |
| index glass | 42-1 | | |
| godown | 192-4 | | |
| goliath crane | 186-2, 419-5 | | |
| goods station | 299-3 | | |
| gorge | | | |
| wind gorge | 92-2 | | |
| government center | 338-5 | | |
| grab | 181-3, 418-3 | | |
| double rope grab | 435-1 | | |
| grab dredger | 181-4, 418-4 | | |
| half tyne grab | 433-1 | | |
| single rope grab | 426-2 | | |
| whole tyne grab | 425-3 | | |
| grade | 217-5, 306-2 | | |
| grade crossing | 321-3 | | |
| momentum grade | 314-5 | | |
| grade post | 306-3 | | |
| rolling grade | 226-4 | | |
| ruling grade | 311-2 | | |
| saturating grade with | | | |
| pebbles | 93-4 | | |
| grade separation | 357-2 | | |
| virtual grade | 299-4 | | |
| grader | 217-1, 418-5 | | |
| gradient | 217-5, 306-2 | | |
| gradient board | 306-3 | | |
| hydraulic gradient | 30-3 | | |
| grading | 409-5 | | |
| grading modulus | 410-1 | | |
| grain elevator | 184-5 | | |
| granolithic | 216-5 | | |
| graphical statics | 17-5 | | |
| grating | 117-5, 167-4 | | |
| screen grating | 142-2 | | |
| gravel | 380-3 | | |
| pit gravel | 407-4 | | |
| river gravel | 366-5 | | |
| gravel road | 220-3 | | |
| sea gravel | 363-2 | | |
| graving dock | 178-6 | | |
| gravity | | | |
| center of gravity | 11-2 | | |
| gravity dam | 112-5, 138-5 | | |
| gravity yard | 310-4 | | |
| grease trap | 162-2 | | |
| green area | 357-5 | | |
| gridiron system | 346-3 | | |
| grill foundation | 373-2 | | |
| grinder | | | |
| rail grinder | 280-2 | | |
| grit chamber | 167-5 | | |
| groin | 70-3, 189-3 | | |
| groin field | 70-4 | | |
| groin head | 70-5 | | |
| submerged groin dam .. | 100-1 | | |
| groove | | | |
| flange groove | 295-1 | | |
| grooved rail | 293-1 | | |
| gross | | | |
| gross head | 116-1 | | |
| gross registered tonnage | 193-1 | | |
| gross section | 257-2 | | |

gross tonnage 193—1
ground
fill up ground 406—3
natural ground 389—4
ground sill 78—1
ground sill of bamboo
cylinder 97—1
standing ground cover .. 93—5
ground water level ... 389—2
grout mixer 371—5, 418—2
grouting 108—4, 371—3
grouting pump 371—4, 418—1
groyne 189—3
guard
ice guard 127—5
guard rail 307—2
guide
under water guide 423—3
gully 153—4
gun
cement gun 385—2, 424—5
gusset plate 246—1
gutter 215—5
guy 434—3
gyration
radius of gyration 4—5
gyratory crusher 413—4
gyratory system 344—4

H.

habit
riding habit 344—5
hair
hair crack 405—5
hair-pin curve 227—1
half
half bat 398—3
half tide basin 201—4
half tyne grab 433—1
halfportal crane 201—5
halfthrough bridge 259—4
hammer

double acting pile
hammer 435—2
jack hammer 422—2
pile hammer 416—5
single acting pile
hammer 426—4
water hammer 30—1
hammered
bush hammered 400—4
hammerhead crane 195—5
hand
hand mixing 392—2
hand signal 316—4
handle
commode handle 285—3
dipper handle 428—5
hanger 260—6
hanging compass 37—5
harbour
fishery harbour 181—1
inner harbour 199—6
outer harbour 179—2
refuge harbour 203—5
winter harbour 197—3
hard
hard stone 373—3
hard water 136—1
hardening 373—1
hardness 136—2
hatch 192—5
haunch 398—2
hazard
traffic hazard 336—3
head 80—2, 126—3
available head 125—2
bull head rail 303—4
clear head 237—5
cutter head 414—4
double head rail 313—3
draft head 107—1
drag head 431—4
effective head 125—2
elevation head 28—5

entrance head 35—6
friction head 34—4
groin head 70—5
gross head 116—1
hydrostatic head 30—5
inner head 79—1
lock head 83—3
loss of head 32—1
lower head 65—1
net head 125—2
outer head 62—3
pier head 198—5
potential head 28—5
pressure head 26—1
head race 119—4
static head 30—5
head tank 114—1
upper head 72—3
velocity head 35—5
heading 393—1
bottom heading 391—4
top heading 390—2
headway 278—1, 341—2
hedge
bush hedge 98—4
permeable hedge 95—2
height
height district 338—3
height increasing of levee 59—3
metacentric height 27—5
height of dam 105—4
height of runoff 88—3
helper 323—2
high
high early strength
cement 336—3
high tee rail 239—3
high water channel 63—4
high water level 109—2
(high water level ordinary
spring tide) 205—2
high water separation
levee 72—1
highway 225—5
highway bridge 264—5
hinge 247—2
hinged
one hinged arch 259—1
three hinged arch 251—4
two hinged arch 265—1
hingeless arch 272—4
hinterland 134—1
hoist 207—1, 436—2
coal hoist 210—3
hole
lamp hole 168—5
pot-hole 228—4
weep hole 397—2
home signal 310—5
hook 364—4
hoop
circular hoop 367—1
spiral hoop 409—3
tie hoop 363—5
hooping 61—3
hopper .. 196—4, 429—2, 436—3
hopper barge .. 196—5, 429—3
bottom hopper barge .. 425—4
side hopper barge 415—3
horizontal
dam of horizontal crest .. 97—2
horizontal weld 274—5
horse tramway 290—5
hose 149—1
hot application 215—4
hour circle 43—5
house
house connection 156—1
house drain 156—1
pump house 149—3
house sewer 156—1
Hullet unloader 204—1
hump 320—1
hump yard 320—2
humus tank 174—2
hurdle 67—3

H. W. L. O. S. T. 205—2
 hydrant 138—1
 hydraulic
 hydraulic dredge 208—3, 436—4
 hydraulic fill dam 124—2
 hydraulic giant 423—2
 hydraulic gradient 30—3
 hydraulic jump 32—2
 hydraulic mean depth 27—3
 hydraulic pressure 11—5
 hydraulic radius 27—3
 hydraulics 30—4
 hydroelectric
 pumped storage hydro-
 electric plant 125—4
 hydrograph 70—2, 113—3
 discharge hydrograph 89—4
 hydrostatic
 hydrostatic curve 12—1
 hydrostatic head 30—5

I.

I-beam 248—3
 I-beam bridge 248—2
 ice
 ice breaker 186—4
 ice guard 127—5
 ice pressure 122—1
 Imhoff tank 152—3
 impact 253—5
 impeller 432—5
 impounding reservoir 142—1
 impregnation 390—1
 improvement
 river improvement 60—4
 inbound traffic 357—4
 incidental condemnation 348—4
 incline
 canal incline 55—2
 dam of inclined crest 93—3
 inclined plane 105—1
 inclined wharf 210—1

incomplete contraction 33—1
 increaser 132—5
 increasing
 bright increasing of levee 59—3
 indeterminate
 statically indeterminate
 stress 22—3
 index glass 42—1
 indicator 320—4
 industrial
 industrial district 335—3
 industrial port 183—2
 industrial suburb 335—2
 industrial waste 159—4
 inertia 6—1
 moment of inertia 6—3
 product of inertia 6—2
 inferential water meter 151—5
 influence line 3—4
 inlet 147—1
 inlet pipe 146—5
 street inlet 153—4
 inlet time 175—1
 inner
 inner banquette 56—2
 inner harbour 199—6
 inner head 79—1
 inner slope 56—3
 inspection
 inspection chamber 155—1
 inspection gallery 106—3
 insulator
 section insulator 281—5
 intake 111—4, 137—1
 intake gate 111—6, 137—3
 intake tower 137—2
 intercepting
 intercepting chamber 155—1
 intercepting sewer 162—4
 intercepting system 162—5
 interlocking
 interlocking plant 326—1
 power interlocking 318—5

intermediate
 intermediate pier 57—3
 intermediate station 315—4
 intermittent weld 259—3
 interurban railway 307—5
 inundation 63—2, 362—4
 inundator 412—4
 invert 362—5
 inverted siphon 170—1
 irrigation 61—5
 broad irrigation 156—4
 irrigation canal 87—3
 irrigation ditch 87—3
 isi
 kenti-isi 372—1
 island
 island platform 308—1
 safety island 214—2, 327—1
 isolated dune 94—4

J.

jack hammer 422—2
 jaw crusher 412—1
 jet 29—2
 water jet 404—4
 jetty 78—2
 jib 189—1
 jim crow 301—4
 joint 143—1, 256—4, 384—5
 ball joint 141—3
 butt joint 254—1
 construction joint 384—3
 contraction joint 379—1
 double bevel butt joint 275—4
 double vee butt joint 239—1
 expansion joint 220—2, 254—3
 380—1
 flange joint 143—4
 lap joint 241—1
 pin joint 268—1
 rail joint 301—2
 riveted joint 267—2

single bevel butt joint 241—4
 single vee butt joint 260—4
 sliding joint 382—4
 socket & spigot joint 131—2
 square butt joint 237—3
 through joint 392—4
 watertight joint 381—3
 work joint 384—3
 jump
 hydraulic jump 32—2
 junction
 point of junction 339—3
 junction well 140—5

K.

keeper
 lock keeper 65—5
 kenti-isi 372—1
 kerb 228—5
 kinetic energy 3—2
 knee race 255—5
 knot 178—1

L.

lacing 275—3
 lacing bar 275—5
 ladder
 bucket ladder 433—5
 ladder dredge 201—6, 433—4
 ladder excavator 433—3
 ladder track 316—2
 laittance 410—2
 lamp hole 168—5
 land
 land planning 339—1
 subdivision of land 354—5
 submerged land 69—2
 landing
 landing bridge 186—6
 landing pier 186—6
 landing stage 186—6

| | | | |
|-------------------------|-------|----------------------------|--------------|
| landside | | levee free board | 77—5 |
| landside banquette | 56—2 | height increasing of levee | 59—3 |
| landside slope | 56—3 | high water separation | |
| lane | 219—3 | levee | 72—1 |
| traffic lane | 340—5 | main levee | 86—1 |
| lap joint | 241—1 | open levee | 60—1 |
| lateral | | levee opening | 88—1 |
| lateral bracing | 239—2 | levee protection | 71—1 |
| lateral canal | 73—2 | levee raising | 59—3 |
| lateral erosion | 103—1 | levee ramp | 77—3 |
| lateral fillet | 257—3 | ring levee | 90—5 |
| lateral load | 274—3 | secondary levee | 82—4 |
| lateral sewer | 168—7 | setting back of levee | 83—1 |
| lateral system | 167—1 | settlement of levee | 77—1 |
| latitude | 37—2 | sleeping levee | 81—1 |
| lattice pole | 277—1 | levee soil | 74—4 |
| launch | 211—2 | levee strengthening | 81—5 |
| launching | 188—3 | wing levee | 57—5 |
| layer | | level | 45—4 |
| dust layer | 230—4 | level crossing | 229—6, 322—4 |
| filter layer | 151—1 | double level street | 346—5 |
| lead | | dumpy level | 48—2 |
| lead line | 53—4 | formation level | 221—5, 311—4 |
| lead rail | 325—2 | ground water level | 389—2 |
| least | | high water level | 109—2 |
| principle of least work | 9—1 | high water level ordinary | |
| leeway | 341—1 | spring tide | 205—2 |
| left | | level luffing crane | 189—4 |
| left bank | 67—1 | mean low water level | 85—3 |
| left side bank | 67—1 | mean water level | 85—2 |
| leg | 237—6 | median water level | 85—5 |
| shear leg crane | 187—2 | ordinary water level | 85—5 |
| length | | level surface | 45—6 |
| base length of levee | 75—4 | water level | 70—1 |
| panel length | 240—1 | Y level | 53—6 |
| levee | 76—3 | leveling | 45—5 |
| base length of levee | 75—4 | leveling screw | 45—7 |
| levee body | 76—1 | lift | |
| circle levee | 90—5 | lift bridge | 253—4 |
| cross levee | 57—5 | canal lift | 57—2 |
| levee crown | 77—2 | lift gate | 82—6 |
| levee distance | 76—5 | lift gate weir | 87—4 |
| levee enlargement | 76—4 | light | |

| | | | |
|------------------------|--------------------|-----------------------------|-------------|
| light buoy | 198—2 | littoral drift | 204—2 |
| fixed light | 205—5 | live | |
| flashing light | 191—6 | consolidation dam with live | |
| occulting light | 209—4 | material | 92—4 |
| light quality | 197—4 | live load | 241—5 |
| light ship | 197—5 | wicker work with live | |
| lighter | 201—1 | material | 92—5 |
| lighthouse | 198—1 | load | 5—1, 122—2 |
| lighting | | axle load | 309—5 |
| street lighting | 330—4 | concentrated load | 10—1 |
| limit | | continuous load | 25—3 |
| clearance limit | 304—3 | load curve | 122—3 |
| elastic limit | 15—3 | dead load | 251—5 |
| endurance limit | 17—3 | distributed load | 22—4 |
| fatigue limit | 17—3 | eccentric load | 270—3 |
| proportional limit | 22—2 | load-elongation diagram | 5—2 |
| limitation velocity | 93—5 | equivalent uniform load | 263—2 |
| line | | load factor | 122—4 |
| base line | 38—3 | fixed load | 8—2 |
| building line | 334—4 | lateral load | 274—3 |
| curb line | 229—1 | live load | 241—5 |
| elastic line | 15—1 | longitudinal load | 258—3 |
| influence line | 3—4 | moving load | 19—1, 264—4 |
| lead line | 53—4 | repeated load | 7—3 |
| line of greatest depth | 89—1 | test load | 377—3 |
| overhead line | 278—3 | uniform load | 18—1 |
| pipe line | 27—2, 106—4, 133—4 | uniformly varying load | 18—2 |
| plumb line | 40—5 | wind load | 268—3 |
| pressure line | 2—1 | loaded chord | 251—1 |
| rivet line | 267—3 | loam | 411—1 |
| saturation line | 69—1 | local | |
| seepage line | 69—1 | local street | 332—1 |
| sight line | 42—4 | local traffic | 332—2 |
| stream line | 35—2 | location | 312—5 |
| street line | 330—1 | town location | 351—1 |
| tie line | 39—1 | lock | 65—2 |
| traffic line | 337—5 | lock chamber | 63—1 |
| transit line | 336—1 | compound lock | 84—3 |
| trolley line | 278—5 | lock conduit | 62—6 |
| weld line | 274—1 | lock culvert | 62—6 |
| lining | 313—1 | lock fender | 295—5 |
| link polygon | 25—5 | lock gate | 66—1 |
| liquefaction | 154—1 | lock head | 83—3 |

| | | | |
|----------------------------|--------------|---------------------------|-------|
| lock keeper | 65-5 | luffing | |
| lock master | 65-3 | level luffing crane | 189-4 |
| lock nut washer | 326-2 | | |
| lock sill | 65-4 | | |
| lock sluice way | 62-6 | | |
| twin lock | 72-4 | | |
| lockage | 64-5 | | |
| locking | 75-1 | | |
| time for locking | 75-2 | | |
| locomotive | 300-3 | | |
| storage battery | | | |
| locomotive | 427-5 | | |
| log | 403-5 | | |
| log chute | 126-4 | | |
| stop log | 105-5 | | |
| log way | 128-2 | | |
| long column | 16-4, 390-3 | | |
| longitude | 39-2 | | |
| longitudinal | | | |
| longitudinal dike | 85-4 | | |
| longitudinal erosion | 99-1 | | |
| longitudinal load | 253-3 | | |
| longitudinal reinforce- | | | |
| ment | 380-2 | | |
| longitudinal seat | 286-5 | | |
| longitudinal sleeper | 287-1 | | |
| loop | 295-2, 325-4 | | |
| loop station | 295-3 | | |
| loss of head | 32-1 | | |
| lot | 328-5 | | |
| low | | | |
| low avalanche of sand & | | | |
| stones | 99-3 | | |
| low dam | 99-4 | | |
| low dam of fascine | 97-5 | | |
| low deck car | 288-4 | | |
| mean low water level | 85-3 | | |
| low water channel | 75-5 | | |
| lower | | | |
| lower chord | 240-4 | | |
| lower head | 65-1 | | |
| lowland | | | |
| protected lowland | 76-2 | | |

M.

| | | | |
|----------------------------|-------|--|--|
| macadam | 230-5 | | |
| asphalt macadam | | | |
| pavement | 213-4 | | |
| bituminous macadam | | | |
| pavement | 233-3 | | |
| macadam roller | 436-5 | | |
| tar macadam pavement | 223-2 | | |
| telford macadam | 224-5 | | |
| machine | | | |
| boring machine | 420-5 | | |
| machine mixing | 367-3 | | |
| muking machine | 424-4 | | |
| tamping machine | 426-5 | | |
| magnetic | | | |
| magnetic declination | 51-5 | | |
| magnetic needle | 44-3 | | |
| main | | | |
| distributing main | 146-3 | | |
| force main | 152-1 | | |
| main girder | 253-2 | | |
| main levee | 86-2 | | |
| main reinforcement | 379-2 | | |
| main river | 62-1 | | |
| main sewer | 157-1 | | |
| main track | 323-4 | | |
| main truss | 253-3 | | |
| maintenance of way | 323-3 | | |
| major bed | 63-4 | | |
| mall | 343-4 | | |
| man | | | |
| one man car | 296-3 | | |
| manhole | 163-5 | | |
| manoeuvring | | | |
| manoeuvring chain | 425-2 | | |
| manoeuvring winch | 425-1 | | |
| map | | | |
| rain map | 56-1 | | |
| maritime work | 177-5 | | |

| | | | |
|---------------------------------|--------------|--|--|
| mark | | | |
| day mark | 193-5 | | |
| station mark | 47-1 | | |
| market | | | |
| market place | 327-2 | | |
| market square | 327-2 | | |
| masonry | 383-5 | | |
| ashler masonry | 369-1 | | |
| brick masonry | 410-5 | | |
| coursed rubble masonry | 394-4 | | |
| dry masonry | 366-2 | | |
| stone masonry | 361-2 | | |
| uncoursed rubble | | | |
| masonry | 388-1 | | |
| wet masonry | 395-3 | | |
| masonry dam | 130-3 | | |
| dry masonry dam | 93-1 | | |
| mixed masonry dam | 94-5 | | |
| stepped masonry dam | 91-5 | | |
| wetted masonry dam | 100-4 | | |
| mass | | | |
| discharge mass curve | 128-5 | | |
| massive transport of | | | |
| pebbles | 100-2 | | |
| master | | | |
| lock master | 65-3 | | |
| master plan | 388-4 | | |
| mastic | | | |
| asphalt mastic | 213-5, 359-5 | | |
| bituminous mastic | 233-1 | | |
| material | | | |
| consolidation dam with | | | |
| live material | 92-4 | | |
| materials of construction | 394-1 | | |
| strength of materials | 9-2 | | |
| wicker work with | | | |
| dead material | 96-1 | | |
| wicker work with | | | |
| live material | 92-5 | | |
| mattress | | | |
| fascine mattress | 73-4 | | |
| mean | | | |
| hydraulic mean depth | 27-3 | | |
| mean low water level | 85-3 | | |
| mean water level | 85-2 | | |
| measuring | | | |
| (measuring) chain | 48-3 | | |
| measuring rod | 46-5 | | |
| mechanical | | | |
| mechanical filter | 134-2 | | |
| mechanical treatment | 157-2 | | |
| mechanics | | | |
| applied mechanics | 4-4 | | |
| median water level | 85-5 | | |
| medium | | | |
| filter medium | 151-3, 175-3 | | |
| filtering medium | 151-3, 175-3 | | |
| medium stone | 381-1 | | |
| member | 269-5 | | |
| chord member | 246-5 | | |
| compression member | 238-1 | | |
| diagonal member | 252-5 | | |
| redundant member | 255-1 | | |
| tension member (tie) | 266-1 | | |
| vertical member | 255-4 | | |
| web member | 268-5 | | |
| meridian | 42-2 | | |
| meridian angle | 52-2 | | |
| messenger wire | 295-4 | | |
| metacenter | 27-4 | | |
| metacentric height | 27-5 | | |
| metal | | | |
| base metal | 271-4 | | |
| deposited metal | 274-2 | | |
| meter | | | |
| disk water meter | 132-3 | | |
| inferential water meter | 151-5 | | |
| water meter | 150-2 | | |
| method | | | |
| penetration method | 225-3 | | |
| surface method | 221-2 | | |
| trench method | 226-5 | | |
| metropolis | 341-5 | | |
| metropolitan | | | |
| metropolitan area | 342-2 | | |
| metropolitan planning | 342-1 | | |

| | | | |
|-----------------------|--------------|--------------------|-------------|
| mile | | moment | 24—5 |
| nautical mile | 178—1 | bending moment | 24—2 |
| mile post | 308—3 | centrifugal moment | 6—2 |
| miner's compass | 39—4 | geometrical moment | 6—4 |
| minor | | moment of inertia | 6—3 |
| minor bed | 75—5 | statical moment | 6—4 |
| minor street | 330—4 | momentum | 3—1 |
| mitre gate | 68—2 | momentum grade | 314—5 |
| mix | 396—5 | monitor | 423—2 |
| field mix | 372—3 | monsoon | 180—2 |
| nominal mix | 400—1 | mooring | |
| poor mix | 399—4 | mooring buoy | 182—4 |
| rich mix | 401—3 | mooring post | 182—3 |
| volume mix | 408—3 | mooring ring | 182—2 |
| weight mix | 380—5 | mortar | 405—4 |
| mixed masonry dam | 94—5 | mother town | 341—5 |
| mixer | 375—4 | motor car | 324—2 |
| batch mixer | 399—1, 434—1 | motor ship | 209—5 |
| bowl mixer | 430—3 | moulding | 405—4 |
| concrete mixer | 419—2 | mound | 208—4 |
| conical mixer | 413—3 | mound breakwater | 190—1 |
| continuous mixer | 438—1 | mouth | |
| cube mixer | 414—2 | river mouth | 59—1 |
| drum mixer | 432—1 | mouthpiece | 28—4 |
| grout mixer | 371—5, 418—2 | movable | |
| non tilting mixer | 434—5 | movable bridge | 242—2 |
| tilting mixer | 414—3 | movable dam | 106—2 |
| mixing | 375—3 | movable end | 242—3 |
| asphalt mixing plant | 412—2 | movable weir | 61—1, 106—2 |
| concrete mixing plant | 375—2 | moving load | 19—1, 264—4 |
| hand mixing | 392—2 | much car | 424—3 |
| machine mixing | 367—3 | mud | |
| mixture | 375—5 | mud bearer | 437—3 |
| moduli | | mud pressure | 119—3 |
| ratio of moduli of | | muking machine | 424—4 |
| elasticity | 389—1 | multiple arch dam | 122—5 |
| modulus | | municipal center | 340—3 |
| grading modulus | 410—1 | | |
| modulus of elasticity | 14—5 | | |
| modulus of rigidity | 8—4 | | |
| section modulus | 15—5 | | |
| tangent modulus | 12—3 | | |
| Young's modulus | 25—1 | | |

N.

| | |
|---------------|-------------|
| nappe | 26—3, 120—1 |
| narrow gauge | 302—5 |
| national park | 339—2 |

| | |
|------------------------|-------|
| native asphalt | 225—2 |
| natural ground | 389—4 |
| nautical mile | 178—1 |
| naval port | 181—5 |
| navigable river | 59—2 |
| navigation | |
| aid to navigation | 184—2 |
| navigation signal | 184—2 |
| neap tide | 185—2 |
| neck | |
| bottle neck road | 331—5 |
| needle | |
| magnetic needle | 44—3 |
| needle valve | 120—2 |
| negative reinforcement | 401—2 |
| neighbourhood | |
| neighbourhood center | 333—2 |
| neighbourhood park | 333—1 |
| net | |
| net head | 125—2 |
| net registered tonnage | 198—3 |
| net section | 254—4 |
| neutral | |
| neutral axis | 16—2 |
| neutral surface | 16—3 |
| neutral zone | 103—3 |
| nominal mix | 400—1 |
| non | |
| non-tidal river | 86—5 |
| non-tilting mixer | 434—5 |
| nonuniform flow | 33—5 |
| normal | 86—1 |
| nose block | 290—2 |
| notched sill | 81—2 |
| nozzle | 32—6 |
| number | |
| frog number | 321—5 |
| Poisson's number | 23—4 |
| nut | |
| lock nut washer | 326—2 |
| pilot nut | 268—2 |

O.

| | |
|---------------------------|-------|
| observation | 37—6 |
| conditional observation | 44—4 |
| occluding light | 209—4 |
| office work | 50—4 |
| official plan | 338—2 |
| offset | 41—5 |
| offshore dock | 182—1 |
| oil | |
| asphaltic oil | 212—2 |
| oil furnace | 412—3 |
| ombrometer | 55—5 |
| one | |
| one hinged arch | 259—1 |
| one man car | 296—3 |
| one on two slope | 362—1 |
| one way street | 327—3 |
| open | |
| open binder | 222—5 |
| open car | 278—2 |
| open channel | 26—4 |
| open conduit | 155—5 |
| open culvert | 364—2 |
| open floor | 239—4 |
| open levee | 60—1 |
| open space | 334—2 |
| opening | 86—4 |
| levee opening | 88—1 |
| orange peel bucket | 430—2 |
| ordinary | |
| high water level ordinary | |
| spring tide | 205—2 |
| ordinary water level | 85—5 |
| orifice | 28—3 |
| restricted orifice surge | |
| tank | 115—2 |
| origin | |
| traffic origin | 331—2 |
| outbound traffic | 357—3 |
| outer | |
| outer banquette | 58—1 |
| outer harbour | 179—2 |

| | | | |
|---------------------------|--------------|---------------------------------|--------------|
| outer head | 62—8 | parking space | 348—8 |
| outer slope | 58—2 | partial plan | 353—6 |
| outlet | 123—3, 147—3 | partition wall | 365—1 |
| outlet pipe | 147—2 | pass | |
| relief outlet | 171—3 | fish pass | 108—1 |
| over | | passenger car | 302—3 |
| cross over | 326—3 | passive earth pressure | 11—4 |
| double cross over | 305—5 | paste | |
| overbridge | 250—5, 306—4 | cement paste | 385—8 |
| overflow | 130—4 | patching | 227—3 |
| overflow dam | 54—4, 104—4 | path | |
| overflow pipe | 130—5 | foot path | 230—3, 355—5 |
| overflow spillway | 131—1 | towing path | 83—2 |
| overflow spillway | 104—5 | paved crossing | 292—2 |
| storm overflow | 171—3 | pavement | 230—2 |
| storm overflow weir | 54—4 | asphalt pavement | 213—3 |
| overhead | | asphalt macadam | |
| overhead crossing | 218—1 | pavement | 213—4 |
| overhead line | 278—3 | asphaltic concrete | |
| overhead weld | 238—9 | pavement | 212—4 |
| overlap | 240—5 | bituminous macadam | |
| overtopping | 54—3 | pavement | 233—3 |
| | | brick pavement | 233—4 |
| | | concrete pavement | 218—3 |
| | | durax pavement | 219—5 |
| | | flagstone pavement | 214—4 |
| | | sheet asphalt pavement | 219—2 |
| | | tar macadam pavement | 223—2 |
| | | wood(en) block pave- | |
| | | ment | 231—5 |
| | | paver | 436—1 |
| | | pay as you enter car | 291—3 |
| | | pebbles | |
| | | classification of pebbles | 95—4 |
| | | massive transport of | |
| | | pebbles | 100—2 |
| | | saturating grade with | |
| | | pebbles | 93—4 |
| | | pedestal | 238—8, 389—5 |
| | | peel | |
| | | orange peel bucket | 430—2 |
| | | penetration | 263—4 |
| | | penetration method | 225—3 |

P.

| | |
|----------------------------|---------------------|
| P. A. Y. E. car | 291—3 |
| panel | 239—5 |
| panel length | 240—1 |
| panel point | 240—2 |
| pantagraph collector | 291—2 |
| pantagraph | 43—1 |
| parallax | 42—3 |
| parallel | |
| parallel chord truss | 260—1 |
| parallel dike | 85—4 |
| parallel system | 172—1 |
| parapet wall | 368—3 |
| park | |
| forest park | 348—2 |
| national park | 339—2 |
| neighbourhood park | 333—1 |
| park way | 335—1 |
| parking | 229—5, 348—2, 355—1 |

| | | | |
|----------------------------|-------|------------------------------|--------------|
| weld penetration | 263—4 | hair-pin curve | 227—1 |
| penstock | 113—2 | pin joint | 268—1 |
| percolating filter | 161—5 | pipe | 156—2 |
| perimeter | | bent pipe | 134—5 |
| wetted perimeter | 29—5 | blow off pipe | 144—3 |
| periphery | | cross pipe | 138—4 |
| flood periphery | 82—1 | delivery pipe | 132—4 |
| permanent | | discharge pipe | 432—4 |
| permanent set | 3—3 | distributing pipe | 145—3 |
| permanent way | 312—2 | drain pipe | 145—4 |
| permeable hedge | 95—2 | flange pipe | 143—3 |
| perimeter fender | 291—1 | inlet pipe | 146—5 |
| perpendicular system | 167—1 | pipe line 27—2, 106—4, 133—4 | |
| | 345—3 | outlet pipe | 147—2 |
| personal error | 40—2 | overflow pipe | 131—1 |
| piece | | service pipe | 134—1 |
| eye piece | 47—5 | sewer pipe | 158—3 |
| test piece | 368—2 | soil pipe | 154—4 |
| pier | 243—5 | stand pipe | 116—2, 146—2 |
| barge pier | 73—5 | suction pipe | 139—4, 423—1 |
| floating pier | 176—4 | taper pipe | 132—5 |
| pier head | 198—5 | pit | |
| intermediate pier | 57—3 | borrow-pit | 393—5 |
| landing pier | 186—6 | pit excavation | 395—1 |
| piezometer | 26—2 | pit gravel | 407—4 |
| pile | 370—1 | pit sand | 407—3 |
| double acting pile | | pitch | 228—3 |
| hammer | 435—2 | coal tar pitch | 374—3 |
| pile drawer | 417—1 | rivet pitch | 266—7 |
| pile driver | 416—4 | pitching | 54—2, 361—3 |
| pile foundation | 370—3 | place | 353—1 |
| pile hammer | 416—5 | market place | 327—2 |
| sheet pile | 406—5 | station place | 327—5 |
| sheet pile cofferdam | 407—1 | stopping place | 288—5 |
| pile shoe | 370—2 | traffic place | 337—3 |
| single acting pile | | placer | |
| hammer | 426—4 | concrete placer | 419—3 |
| test pile | 377—4 | plain | |
| pilot | 208—5 | plain concrete | 404—5 |
| pilot nut | 268—2 | plain Y | 296—2 |
| pin | 267—4 | plan | |
| pin connected truss | 267—5 | comprehensive plan | 345—5 |
| drift pin | 264—6 | development plan | 328—4 |

| | | | |
|-----------------------|--------------|---------------------|--------------|
| frontage plan | 356—1 | plattling | 351—4 |
| master plan | 338—4 | plot | 328—5 |
| official plan | 338—2 | plumb | |
| partial plan | 353—6 | plumb bob | 41—1 |
| proximity plan | 332—4 | plumb line | 40—5 |
| valuation plan | 352—4 | pluviogram | 56—1 |
| plane | | pneumatic caisson | 191—3, 385—4 |
| inclined plane | 105—1 | pocket | 236—1 |
| plane table | 51—2 | point | 323—5 |
| planimeter | 50—7 | point and crossing | 322—1 |
| planning | | derailing point | 314—4 |
| city planning | 350—3 | point of deviation | 354—1 |
| land planning | 339—1 | facing point | 313—5 |
| metropolitan planning | 342—1 | point of collision | 342—5 |
| regional planning | 347—4 | point of junction | 339—3 |
| rural planning | 346—2 | panel point | 240—2 |
| site planning | 340—2 | trailing point | 319—1 |
| town planning | 350—3 | yield point | 8—1 |
| plant | 402—5 | pointing | 405—2 |
| asphalt plant | 359—4 | Poisson's number | 23—4 |
| asphalt mixing plant | 412—2 | Poisson's ratio | 23—5 |
| batcher plant | 399—2, 434—2 | polder | 90—4 |
| concrete mixing plant | 375—2 | pole | 52—3, 289—2 |
| interlocking plant | 326—1 | bracket pole | 277—5 |
| pumped storage hydro- | | centre pole | 288—1 |
| electric plant | 125—4 | double bracket pole | 294—5 |
| purification plant | 189—1 | lattice pole | 277—1 |
| planting strip | 343—1 | side pole | 286—3 |
| plasticity | 13—5 | single bracket pole | 279—1 |
| plate | 2—3, 205—3 | trolley pole | 284—3 |
| bed plate | 254—2 | tubular pole | 279—2 |
| buckle plate | 239—3 | poling fencing | 97—3 |
| cover plate | 243—3 | polygon | |
| filtros plate | 161—3 | force polygon | 16—1 |
| fish plate | 316—1 | funicular polygon | 25—5 |
| plate girder | 265—4 | link polygon | 25—5 |
| gusset plate | 246—1 | polygonal truss | 244—5 |
| sole plate | 261—3 | pondage | 117—2 |
| splice plate | 262—2 | pontoon | 176—6, 208—2 |
| tie plate | 261—5, 314—1 | pontoon bridge | 238—7 |
| web plate | 269—1 | pony truss | 271—5 |
| platform | 323—1 | poor mix | 399—4 |
| island platform | 308—1 | population | |

| | | | |
|---------------------------|--------------|--------------------------|--------------|
| centralization of popula- | | hydraulic pressure | 12—1 |
| tion | 350—5 | ice pressure | 122—1 |
| day time population | 348—1 | pressure line | 2—1 |
| dormitory population | 356—3 | mud pressure | 119—3 |
| port | 184—3 | passive earth pressure | 11—4 |
| aerial port | 183—3 | pressure reducing valve | 185—2 |
| establishment of port | 194—1 | silt pressure | 119—3 |
| free port | 189—2 | pressure tunnel | 104—2 |
| industrial port | 183—2 | uplift pressure | 125—3 |
| naval port | 181—5 | prevailing wind | 183—6 |
| side port | 183—1 | primary stress | 2—4 |
| three port Y | 283—1 | principal | |
| portal bracing | 244—3 | principal strain | 10—4 |
| portion | | principal stress | 10—2 |
| thermit portion | 289—1 | principle of least work | 9—1 |
| positive reinforcement | 383—3 | private sewer | 156—1 |
| post | 20—3, 397—4 | probable error | 45—1 |
| distance post | 303—3 | process | |
| end post | 259—2 | activated sludge process | 166—2 |
| grade post | 306—3 | empty cell process | 370—5 |
| mile post | 303—3 | full cell process | 380—4 |
| mooring post | 182—3 | product of inertia | 6—2 |
| pot-hole | 228—4 | profile | 220—5 |
| potential energy | 2—5 | equilibrium profile | 102—1 |
| potential head | 28—5 | profile of equilibrium | 102—1 |
| power | | prohibited zone | 332—5 |
| bearing power | 9—5, 377—5 | promenade | 232—2, 356—4 |
| power interlocking | 318—5 | proportional limit | 22—2 |
| power shovel | 416—3 | protected lowland | 76—2 |
| water power | 121—4 | protecting signal | 298—1 |
| water power site | 114—3 | protection | |
| precast concrete | 375—1 | flood protection | 64—2 |
| precipitation | 109—3, 174—1 | foot protection | 79—2 |
| chemical precipitation | 174—1 | levee protection | 71—1 |
| precipitation tank | 173—5 | proximity plan | 332—4 |
| prediction | | public sewer | 159—5 |
| flood prediction | 64—3 | puddle | |
| pressure | 1—5 | flood core | 120—3 |
| active earth pressure | 10—3 | fuddle core wall | 120—3 |
| pressure conduit | 104—1 | pulsometer | 427—2 |
| earth pressure | 18—5 | pump | |
| pressure filter | 130—1 | centrifugal pump | 413—1 |
| pressure head | 26—1 | diaphragm pump | 437—2 |

- dredging pump421-4
 grouting pump 371-4, 418-1
 pump house149-3
 relay pump427-4
 pump station149-4
 turbine pump426-1
 pump well149-5
 pumped storage hydro-
 electric plant125-4
 pumping
 reservoir for pumping ..125-5
 punching256-6
 pure water reservoir139-2
 146-1
 purification
 purification plant139-1
 self purification 138-3, 163-4
 putrefaction170-3
- Q.**
- quality
 light quality197-4
 quarantine182-6
 quarry stone395-5
 quarter
 business quarter333-4
 residential quarter344-1
 quay179-5
 quaywall179-5
- R.**
- race
 head race119-4
 tail race123-5
 racial zone345-2
 rack117-4, 173-2
 rack rail319-2
 radial
 radial street355-3
 radial system ..172-3, 355-4
 radio
 radio beacon209-1
 radio compass station ..209-2
 radius
 hydraulic radius27-3
 radius of gyration4-5
 raftpath127-4
 raftway127-4
 rail300-5
 rail bender301-4
 rail bond292-5
 rail brace301-1
 bull head rail303-4
 rail car230-5
 rail clump230-3
 double head rail313-3
 flat bottomed rail305-2
 rail grinder230-2
 grooved rail293-1
 guard rail307-2
 high tee rail289-3
 rail joint301-2
 lead rail325-2
 rack rail319-2
 rail saw301-3
 step rail237-4
 stock rail302-2
 T rail305-2
 third rail314-2
 tongue rail312-1
 wing rail324-5
 railless car293-2
 railroad316-5
 railroad shovel416-2
 railway316-5
 adhesion railway321-2
 beltline railway211-4
 railway bridge261-4
 cable railway305-4
 elevated railway304-5
 railway ferry317-3
 interurban railway307-5
 suburban railway305-3
 surface railway237-5

- suspended railway304-2
 railway traffic317-1
 underground railway ..315-2
 rain gage55-5
 recording rain gage69-3
 rainfall55-4
 rain map56-1
 raising
 levee raising59-3
 rake232-3, 232-4
 rammer223-1
 ramp308-2
 levee ramp77-3
 range
 tidal range194-2
 ranking224-1, 348-5
 rapid
 rapid filter134-2
 rapid (sand) filtration 134-3
 rapid transit306-1
 rate of filtration151-2
 ratio
 ratio of closure50-3
 ratio of moduli of
 elasticity389-1
 ratio of reinforcement ..392-1
 Poisson's ratio23-5
 slenderness ratio23-2
 water cement ratio404-3
 ravine96-2
 shell-shaped ravine92-1
 raw
 raw sewage169-1
 raw water135-3
 reach
 canal reach57-1
 reaction20-5
 reaming249-1
 receiver
 air receiver417-3
 recentralization354-4
 recess
 gate recess78-3
 reclamation177-1, 179-1
 reconnaissance46-4, 318-1
 recording
 recording rain gage69-3
 recording water gage69-4
 recreation facility331-3
 rectangular system345-3
 reducer132-5
 reducing
 pressure reducing valve 135-2
 redundant member255-1
 refuge352-3
 refuge harbour203-5
 refuse disposal345-1
 regional planning347-4
 registered tonnage193-3
 gross registered tonnage 193-1
 net registered tonnage ..193-3
 regulating
 regulating chamber ...141-5
 regulating gate115-4
 regulating reservoir ...117-2
 regulating valve 115-3, 140-4
 regulating well141-5
 regulation
 building regulation ...334-5
 traffic regulation336-4
 reinforced concrete391-6
 reinforcement270-4, 391-5
 longitudinal reinforce-
 ment380-2
 main reinforcement ...379-2
 negative reinforcement .401-2
 positive reinforcement .383-3
 ratio of reinforcement .392-1
 web reinforcement400-5
 relay pump427-4
 relief
 relief outlet171-3
 relief sewer172-4
 relief valve130-2
 remnant339-5
 repeated load7-3

| | | | |
|--------------------------|--------------------|---------------------|--------------|
| replotting | 328—3 | right ascension | 46—2 |
| replotting | 351—4 | right bank | 55—3 |
| repose | | right of way | 226—1, 349—4 |
| angle of repose | 13—3, 386—4 | right side bank | 55—3 |
| reservoir | 74—5, 117—3, 142—1 | rigid | |
| balancing reservoir | 139—2 | rigid frame | 25—2, 244—1 |
| clean water reservoir | 139—2 | rigid wheel base | 306—5 |
| | 146—1 | rigidity | |
| detension reservoir | 64—1 | flexural rigidity | 24—1 |
| distributing reservoir | 146—1 | modulus of rigidity | 8—4 |
| reservoir for pumping | 125—5 | ring | |
| impounding reservoir | 142—1 | ring levee | 90—5 |
| pure water reservoir | 139—2 | mooring ring | 182—2 |
| | 146—1 | riprap | 381—4 |
| regulating reservoir | 117—2 | river | 60—3 |
| retension reservoir | 64—1 | river bank | 58—3 |
| service reservoir | 146—1 | river basin | 88—2, 126—5 |
| residential | | river bed | 59—4 |
| residential district | 343—5 | branch river | 81—3 |
| residential quarter | 344—1 | river channel | 59—5 |
| residual | 41—3 | river course | 60—5 |
| resilience | 14—4 | river gravel | 366—5 |
| resistance welding | 261—2 | river improvement | 60—4 |
| restricted | | main river | 62—1 |
| restricted orifice surge | | river mouth | 59—1 |
| tank | 115—2 | navigable river | 59—2 |
| restricted zone | 345—4 | non-tidal river | 86—5 |
| resultant force | 8—5 | river sand | 366—4 |
| retaining wall | 408—5 | tidal river | 87—2 |
| retarding basin | 87—1 | tideless river | 86—5 |
| retempering | 395—2 | torrential river | 94—3 |
| retension reservoir | 64—1 | river width | 61—2 |
| retriever | | rivet | 266—5 |
| trolley retriever | 284—5 | counter sunk rivet | 251—2 |
| retardation coefficient | 167—2 | field rivet | 247—1 |
| reverse curve | 319—5 | flattened rivet | 266—4 |
| revetment | 66—5, 186—1 | rivet line | 267—3 |
| rib | | rivet pitch | 266—7 |
| solid rib arch | 265—5 | shop rivet | 249—5 |
| rich mix | 401—3 | riveted | |
| riding habit | 344—5 | riveted joint | 267—3 |
| rift | 361—4 | riveted truss | 267—1 |
| right | | riveter | 250—1 |

| | | | |
|-----------------------|--------------|--------------------------|--------------------|
| rivetting | 249—6 | coefficient of roughness | 81—6 |
| road | 225—5 | round bar | 272—1, 409—4 |
| road bed | 234—2 | route | 244—5 |
| bottle neck road | 331—5 | rubble | 411—2 |
| road crust | 234—1 | rubble aggregate | 387—4 |
| dead end road | 353—2 | rubble concrete | 387—3 |
| road finisher | 438—2 | coursed rubble masonry | 394—4 |
| gravel road | 220—3 | uncoursed rubble | |
| road roller | 235—5, 438—3 | masonry | 388—1 |
| road scraper | 221—4 | ruling grade | 311—2 |
| solid road bed | 307—1 | run | |
| road sprinkler | 218—5 | crusher run | 238—4 |
| turnpike road | 224—2 | runoff | 88—5, 127—3, 174—4 |
| roadway | 219—4 | coefficient of runoff | 88—4 |
| rock | | | 127—2, 174—3 |
| rock asphalt | 234—5 | runoff factor | 88—4 |
| bed rock | 112—2 | height of runoff | 88—3 |
| rock cutter | 186—3 | specific runoff | 83—5 |
| rock drill | 420—2 | rural planning | 346—2 |
| rock fill dam | 115—5 | rut | 236—3 |
| submarine rock cutter | 423—4 | | |
| rod | | | |
| measuring rod | 46—5 | | |
| tie rod | 304—4 | | |
| welding rod | 262—4 | | |
| roller | | | |
| roller end | 262—3 | | |
| roller gate | 129—2 | | |
| macadam roller | 436—5 | | |
| road roller | 235—5, 438—3 | | |
| tandem roller | 426—3 | | |
| rolling | | | |
| rolling barrier | 294—1 | | |
| rolling gate | 119—2 | | |
| rolling grade | 226—4 | | |
| rolling stock | 317—2 | | |
| rolling stock gauge | 308—4 | | |
| rope | | | |
| double rope grab | 435—1 | | |
| single rope grab | 426—2 | | |
| wire rope bond | 290—4 | | |
| rotary system | 344—4 | | |
| roughness | | | |

S.

| | |
|--------------------------------|--------------|
| saddle | 111—2 |
| safe sight distance | 214—1 |
| safety | |
| safety appliances | 322—5 |
| factor of safety | 2—2 |
| safety island | 327—1, 214—2 |
| safety siding | 297—1 |
| safety valve | 130—2 |
| safety zone | 214—2, 327—1 |
| sand | 381—5 |
| avalanche of sand & stones | 100—3 |
| sand bag | 382—1 |
| sand basin | 118—1, 142—3 |
| low avalanche of sand & stones | 99—3 |
| pit sand | 407—3 |
| rapid (sand) filtration | 134—3 |
| river sand | 366—4 |
| sea sand | 363—1 |

| | | | |
|----------------------------------|---------------------|----------------------------------|-------|
| slow (sand) filtration | 133-3 | secondary stress | 19-2 |
| sand spit | 84-1 | section | |
| sand track | 310-2 | block section | 322-2 |
| sanded siding | 310-2 | built up section | 253-1 |
| sanitary | | gross section | 257-2 |
| sanitary sewage | 154-5 | section insulator | 281-5 |
| sanitary sewer | 154-6 | section modulus | 15-5 |
| satellite town | 327-4 | net section | 254-4 |
| saturating grade with | | section switch | 281-4 |
| pebbles | 93-4 | sectional | |
| saturation line | 69-1 | cross sectional area | 35-1 |
| saw | | 60-2 | |
| rail saw | 301-3 | sectional dock | 181-2 |
| scaffolding | 359-1 | sedimentation | 168-2 |
| scale | 42-5 | sedimentation basin | 142-5 |
| track scale | 308-3 | sedimentation tank | 168-1 |
| scarifier | 226-2, 431-1 | seepage line | 69-1 |
| scissors crossing | 305-5 | segregation | 402-4 |
| scotch block | 308-5 | segregation of traffic | 337-4 |
| scour | 72-2 | seiche | 190-4 |
| scouring | 385-5 | self | |
| scouring sluice | 120-5 | self docking | 188-5 |
| scraper | | self purification 138-3, 163-4 | |
| road scraper | 221-4 | selfpropelling dredger | 422-1 |
| screen | 117-4, 167-3, 404-1 | separate | |
| bar screen | 173-2 | separate sewer | 171-4 |
| screen grating | 142-2 | separate system | 171-5 |
| screening | 162-3, 402-1 | separation | 85-1 |
| screenings | 171-2, 376-4 | grade separation | 357-2 |
| screw | | high water separation | |
| leveling screw | 45-7 | levee | 72-1 |
| screw spike | 325-1 | septic | |
| scum | 152-5 | septic action | 170-3 |
| sea | | septic sewage | 170-2 |
| sea gravel | 363-2 | septic tank | 170-4 |
| sea sand | 363-1 | septicization | 170-5 |
| seal coat | 230-1 | service | |
| seat | | service pipe | 134-1 |
| cross seat | 293-5 | service reservoir | 146-1 |
| longitudinal seat | 286-5 | set | |
| secondary | | set back | 334-3 |
| secondary levee | 82-4 | permanent set | 3-5 |
| secondary street | 339-4 | setting | 360-5 |

| | | | |
|---------------------------------|--------------|--------------------------------|--------------|
| setting back of levee | 33-1 | shell-shaped ravine | 92-1 |
| curve setting | 33-4 | shaped wire | 289-4 |
| settlement | 390-4 | sharpener | |
| settlement of levee | 77-1 | drill sharpener | 421-1 |
| settling | 168-2 | shear | 12-4 |
| settling basin | 118-1, 142-5 | shear leg crane | 187-2 |
| settling tank | 168-1 | shearing | |
| final settling tank | 160-5 | shearing force | 12-4 |
| sewage | 158-2 | shearing strain | 13-2 |
| crude sewage | 169-1 | shearing strength | 13-1 |
| sewage disposal | 158-5 | shearing stress | 12-5 |
| raw sewage | 169-1 | shed | 177-2 |
| sanitary sewage | 154-5 | engine shed | 300-4 |
| septic sewage | 170-2 | snow shed | 324-4 |
| storm sewage | 153-2 | transit shed | 177-2 |
| treated sewage | 163-3 | sheet | |
| treatment of sewage | 159-1 | sheet asphalt pavement 219-2 | |
| sewer | 158-4 | sheet pile | 406-5 |
| branch sewer | 162-1 | sheet pile cofferdam | 407-1 |
| collecting sewer | 168-7 | sheeting | 383-4 |
| combined sewer | 160-1 | shell-shaped ravine | 92-1 |
| common sewer | 159-5 | shield | 379-5, 421-5 |
| depressed sewer | 170-1 | shifter | |
| house sewer | 156-1 | track shifter | 416-1 |
| intercepting sewer | 162-4 | shifting centre | 37-1 |
| lateral sewer | 168-7 | shims | |
| main sewer | 157-1 | track shims | 319-3 |
| sewer pipe | 158-3 | ship | |
| private sewer | 156-1 | ship canal | 74-2 |
| public sewer | 150-5 | light ship | 197-5 |
| relief sewer | 172-4 | motor ship | 209-5 |
| sanitary sewer | 154-6 | shoal | 54-1 |
| separate sewer | 171-4 | shoe | 245-2 |
| storm sewer | 153-3 | collector shoe | 283-5 |
| street sewer | 159-5 | pile shoe | 370-2 |
| trunk sewer | 166-4 | shop rivet | 249-5 |
| sewerage | 159-2 | shore bridge | 210-4 |
| shade tree | 330-3 | short | |
| shaft | 11-1, 373-4 | short column | 388-4 |
| shake | 405-3 | short cut | 68-4 |
| shallow well | 141-1 | shoulder | 233-5 |
| shape | 241-3 | shovel | |
| shaped | | diesel shovel | 428-1 |

| | |
|-------------------------|---------------------|
| diesel electric shovel | 428—2 |
| electric shovel | 429—5 |
| power shovel | 416—3 |
| railroad shovel | 416—2 |
| steam shovel | 422—4 |
| shunting | |
| shunting signal | 297—4 |
| shunting yard | 297—5 |
| shute | 392—3, 430—4 |
| shutter weir | 74—1 |
| shuttering board | 383—4 |
| side | |
| arcaded side walk | 352—2 |
| side canal | 73—2 |
| side ditch | 222—3, 386—5 |
| side hopper barge | 415—3 |
| left side bank | 67—1 |
| side pole | 286—3 |
| side port | 183—1 |
| right side bank | 55—3 |
| side slope | 79—3, 396—1 |
| side track | 313—4 |
| side walk | 222—4, 230—3, 355—5 |
| side wall | 387—1 |
| sidercal time | 89—5 |
| siding | 313—4 |
| catch siding | 297—1 |
| safety siding | 297—1 |
| sanded siding | 310—2 |
| sieve | 365—2 |
| sieve analysis | 401—5 |
| standard sieve | 400—2 |
| sight | |
| sight distance | 219—1 |
| sight line | 42—4 |
| safe sight distance | 214—1 |
| sight vane | 49—4 |
| signal | 309—3 |
| alarm signal | 282—5 |
| automatic block signal | 310—1 |
| block signal | 322—3 |
| calling on signal | 324—3 |
| detonater signal | 319—4 |
| distant signal | 298—2 |
| fog signal | 209—3 |
| hand signal | 316—4 |
| home signal | 310—5 |
| navigation signal | 184—2 |
| protecting signal | 298—1 |
| shunting signal | 297—4 |
| starting signal | 309—2 |
| signal station | 309—4 |
| traffic control signal | 337—2 |
| sill | |
| bed sill | 78—1 |
| dentated sill | 31—2 |
| depth of sill | 67—4 |
| ground sill | 78—1 |
| ground sill of bamboo | |
| cylinder | 97—1 |
| lock sill | 65—4 |
| notched sill | 81—2 |
| silo | 185—1 |
| silt | 390—5 |
| silt pressure | 119—3 |
| simple | |
| simple beam | 14—2 |
| simple surge tank | 116—4 |
| simple torrent | 90—2 |
| simply supported beam | 14—2 |
| single | |
| single acting pile | |
| hammer | 426—4 |
| single bevel butt joint | 241—4 |
| single bracket pole | 279—1 |
| single catenary | 287—3 |
| single-ended car | 287—2 |
| single rope grab | 426—2 |
| single slip switch | 299—2 |
| single vee butt joint | 269—4 |
| sink | 164—1 |
| siphon | 29—1 |
| siphon culvert | 84—2 |
| inverted siphon | 170—1 |
| siphon spillway | 110—2 |

| | | | |
|------------------------|-------------|--------------------------|---------------------------|
| site | | activated sludge process | 166—2 |
| concreting in site | 372—2 | sludge digestion | 155—4 |
| site planning | 340—2 | sludge extractor | 155—3 |
| water power site | 114—3 | sluice | 71—2, 82—5, 83—4 |
| skew bridge | 252—4 | sluice gate | 71—3, 114—2, 140—1, 164—3 |
| skewback stone | 367—4 | lock sluice way | 62—6 |
| skimming tank | 153—1 | scouring sluice | 120—5 |
| skip | 423—5 | sluice valve | 115—3, 140—4 |
| slab | 399—3 | sluice way | 82—5, 83—4 |
| flat slab construction | 404—6 | slum abolition | 353—4 |
| slack | 311—1 | slump | 382—5 |
| sleeper | 324—1 | slump test | 383—1 |
| cross sleeper | 294—3 | snap | 263—1 |
| longitudinal sleeper | 287—1 | snow shed | 324—4 |
| sleeping levee | 81—1 | socket | 131—3 |
| sleeve | 285—5 | socket & spigot joint | 131—2 |
| slenderness ratio | 23—2 | sodded channel | 101—1 |
| sliding | | sodding | 68—1, 95—5, 373—1 |
| sliding end | 242—1 | soft | |
| sliding joint | 382—4 | soft stone | 394—3 |
| sliding timber weir | 58—5 | soft water | 144—5 |
| sling | 190—3 | soil | 393—3 |
| slip | 190—5 | levee soil | 74—4 |
| double slip switch | 325—3 | soil pipe | 154—4 |
| single slip switch | 299—2 | soil stack | 154—4 |
| slipway | 190—5 | solar time | 43—1 |
| slope | 396—3 | sole plate | 261—3 |
| back slope | 56—3 | solid | |
| front slope | 58—2 | solid bed | 307—1 |
| inner slope | 56—3 | solid crossing | 292—2, 357—2 |
| landside slope | 56—3 | solid floor | 270—1 |
| one on two slope | 362—1 | solid rib arch | 265—3 |
| outer slope | 58—2 | solid road bed | 307—1 |
| side slope | 79—3, 396—1 | sounding | 188—4 |
| slope tamping | 78—5 | space | |
| toe of slope | 80—1, 396—4 | open space | 334—2 |
| top of slope | 79—4, 396—2 | parking space | 348—3 |
| waterside slope | 58—2 | spading | 379—4 |
| slot weld | 272—3 | span | |
| sloughing | 79—5 | clear span | 245—5 |
| slow (sand) filtration | 133—3 | effective span | 252—1 |
| sludge | 155—2 | span wire | 238—2 |
| activated sludge | 166—1 | | |

| | | | |
|---------------------------|---------------------|--------------------------|--------------|
| spandrel | 249—2 | staff | 50—6 |
| spandrel braced arch | 245—1 | staff gage | 90—1 |
| special assessment | 344—2 | stage | |
| specific runoff | 33—5 | landing stage | 186—6 |
| specification | 378—3 | stand | |
| specimen | 368—2 | stand pipe | 116—2, 146—2 |
| sphere | | switch stand | 317—4 |
| celestial sphere | 49—1 | standard | |
| spigot | 136—5 | standard gage | 320—5 |
| socket & spigot joint | 131—2 | standard sieve | 400—2 |
| spike | 297—3 | standard time | 51—3 |
| cut spike | 297—3 | standing ground cover | 98—5 |
| dog spike | 297—3 | star | |
| screw spike | 325—1 | circumpolar star | 41—4 |
| spillway | 126—1, 126—2, 150—1 | starting signal | 309—2 |
| overflow spillway | 104—5 | static head | 30—5 |
| siphon spillway | 110—2 | statical moment | 6—4 |
| spiral | 325—4 | statically | |
| spiral hoop | 409—3 | statically determinate | |
| spit | | stress | 12—2 |
| sand spit | 84—1 | statically indeterminate | |
| splice | | stress | 22—3 |
| splice bar | 316—1 | statics | |
| splice plate | 262—2 | graphical statics | 17—5 |
| spoilbank | 393—4 | station | 316—3 |
| spout | 382—3 | end station | 309—1 |
| spring tide | 177—4 | goods station | 299—3 |
| high water level ordinary | | intermediate station | 315—4 |
| spring tide | 205—2 | loop station | 295—3 |
| sprinkler | 161—4 | station mark | 47—1 |
| road sprinkler | 218—5 | station place | 327—5 |
| sprinkling filter | 161—5 | pump station | 149—4 |
| spud | 190—2, 424—2 | radio compass station | 209—2 |
| spur dike | 70—3 | signal station | 309—4 |
| square | 353—1 | station square | 327—5 |
| square bar | 364—5 | switch back station | 298—3 |
| square butt joint | 237—3 | terminal station | 309—1 |
| square crossing | 315—5 | steady flow | 32—3 |
| market square | 327—2 | steam shovel | 422—4 |
| station square | 327—5 | steel | |
| traffic square | 337—3 | drill steel | 422—5 |
| stack | | step rail | 287—4 |
| soil stack | 154—4 | stepped | |

| | | | |
|-------------------------------------|--------------|----------------------------|--------------|
| stepped foundation | 364—3 | storm overflow | 171—3 |
| stepped masonry dam | 91—5 | storm sewage | 153—2 |
| sterilization | 161—1 | storm sewer | 153—3 |
| steddore | 192—3 | stopper | 424—1 |
| stiffener | 271—1 | strain | 21—5 |
| stiffening truss | 270—5 | compressive strain | 1—4 |
| stirrup | 360—1 | strain ellipse | 22—1 |
| stock | | principal strain | 10—4 |
| stock rail | 302—2 | shearing strain | 13—2 |
| rolling stock | 317—2 | stress strain diagram | 4—3 |
| rolling stock gage | 308—4 | tensile strain | 21—4 |
| stone | 384—1 | strainer | 140—3 |
| coping stone | 365—4 | stream | |
| crushed stone | 377—1 | stream line | 35—2 |
| stone crusher | 420—1 | stream line flow | 31—1 |
| curb (stone) | 228—5 | street | 216—1, 329—5 |
| stone dust | 214—3, 361—1 | arterial street | 329—2 |
| hard stone | 373—3 | street car | 283—3 |
| stone masonry | 361—2 | circuit street | 344—3 |
| medium stone | 381—1 | diagonal street | 340—4 |
| quarry stone | 395—5 | double deck street | 351—5 |
| skew back stone | 367—4 | double level street | 346—5 |
| soft stone | 394—3 | street inlet | 153—4 |
| toothing stone | 290—1 | street lighting | 330—4 |
| stones | | street line | 330—1 |
| avalanche of stones | 94—1 | local street | 332—1 |
| avalanche of sand & stones | 100—3 | minor street | 339—4 |
| low avalanche of sand & stones | 99—3 | one way street | 327—3 |
| stoney gate | 115—1 | radial street | 355—3 |
| stop | | secondary street | 339—4 |
| stop block | 308—5 | street sewer | 159—5 |
| buffer stop | 303—5 | subsidiary street | 339—4 |
| stop log | 105—5 | street system | 330—2 |
| stop valve | 140—4 | street value | 358—1 |
| stopping place | 288—5 | strength | |
| storage | | breaking strength | 20—2 |
| storage battery locomotive | 427—5 | compressive strength | 1—3 |
| pumped storage hydroelectric plants | 125—4 | crushing strength | 1—3 |
| strom | | cubic strength | 409—4 |
| | | cylindrical strength | 363—4 |
| | | high early strength cement | 366—3 |
| | | strength of materials | 9—2 |

| | | | |
|----------------------------------|-------------|---|---------------------|
| shearing strength | 13—1 | suburb | |
| tensile strength | 21—3 | garden suburb | 350—1 |
| torsional strength | 19—4 | industrial suburb | 335—2 |
| ultimate strength | 20—2 | suburban railway | 305—3 |
| strength weld | 258—2 | subway | 315—2, 315—3, 347—2 |
| strengthening | | suction | |
| levee strengthening | 81—5 | suction dredger 208—3, 436—4 | |
| stress | 4—1 | suction pipe | 139—4, 423—1 |
| allowable stress | 7—2 | suction well | 149—5 |
| bond stress | 401—1 | sunk | |
| compressive stress | 1—2 | counter sunk rivet | 251—3 |
| conjugate stress | 7—1 | sunk well | 362—2 |
| direct stress | 17—1 | super structure | 255—2 |
| stress ellipse | 4—2 | super-elevation | 215—3, 299—5 |
| primary stress | 2—4 | supply | |
| principal stress | 10—2 | water supply | 139—3 |
| secondary stress | 19—2 | support | 111—2 |
| shearing stress | 12—5 | supported | |
| statically determinate | | simply supported beam | 14—2 |
| stress | 12—2 | surcharge | 178—4 |
| statically indeterminate | | surface | |
| stress | 22—3 | surface car | 296—1 |
| stress strain diagram | 4—3 | surface drainage | 235—4 |
| tensile stress | 21—2 | elastic surface | 15—2 |
| striker | 285—4 | surface finishing | 400—3 |
| stringer | 258—4 | level surface | 45—6 |
| strip | | surface method | 221—2 |
| planting strip | 343—1 | neutral surface | 16—3 |
| structure | | surface railway | 287—5 |
| super structure | 255—2 | surface streamment | 235—3 |
| strut | 238—1 | surge tank | 117—1 |
| sub-ballast foundation | 281—2 | chamber surge tank | 113—4 |
| sub-base | 235—1 | differential surge tank | 110—4 |
| subdivision of land | 354—5 | restricted orifice surge tank | 115—2 |
| subdrainage | 223—5 | simple surge tank | 116—4 |
| subgrade | 235—2 | surfing | 110—3 |
| submarine rock cutter | 423—4 | survey | 47—2 |
| submerged | | civic survey | 351—3 |
| submerged groin dam | 100—1 | traffic survey | 337—1 |
| submerged land | 69—2 | underground survey | 48—4 |
| submerged weir | 34—6, 124—5 | surveying | 47—3 |
| subsidiary street | 339—4 | | |
| substructure | 242—4 | | |

| | | | |
|--------------------------------|--------------|---|--------------|
| (surveyor's) chain | 43—3 | plane table | 51—2 |
| suspended railway | 304—2 | transfer table | 311—5 |
| suspender | 260—6 | tack weld | 242—5 |
| suspension bridge | 261—1 | tail race | 123—5 |
| sway bracing | 257—5 | taintier gate | 119—1 |
| sweating | 220—1 | talweg | 89—1 |
| swell | 176—7 | tamper | 223—3, 391—2 |
| swing bridge | 256—5 | tamping | 318—4, 391—1 |
| switch | 323—5 | tamping machine | 426—5 |
| switch and frog | 322—1 | slope tamping | 78—5 |
| switch back station | 293—3 | tandem roller | 426—3 |
| double slip switch | 325—3 | tangent modulus | 12—3 |
| section switch | 281—4 | tank | 139—5, 165—6 |
| single slip switch | 299—2 | average tank | 166—6 |
| switch stand | 317—4 | chamber surge tank | 113—4 |
| three throw switch | 307—4 | detritus tank | 167—5 |
| system | | differential surge tank | 110—4 |
| block system | 346—4 | digestion tank | 163—1 |
| checkerboard system | 355—2 | elevated tank | 135—5 |
| chessboard system | 355—2 | Emscher tank | 152—3 |
| combined system | 160—2 | equalizing tank | 166—6 |
| concentric system | 329—1 | final settling tank | 160—5 |
| conduit system | 277—2 | flush tank | 165—3 |
| fan system | 165—2 | flushing tank | 165—3 |
| floor system | 273—2 | head tank | 114—1 |
| gridiron system | 346—3 | humus tank | 174—2 |
| gyratory system | 344—4 | Imhoff tank | 152—3 |
| intercepting system | 162—5 | precipitation tank | 173—5 |
| lateral system | 167—1 | restricted orifice surge tank | 115—2 |
| parallel system | 172—1 | sedimentation tank | 168—1 |
| perpendicular system | 167—1 | septic tank | 170—4 |
| | 345—3 | settling tank | 168—1 |
| radial system | 172—3, 355—4 | simple surge tank | 116—4 |
| rectangular system | 345—3 | skimming tank | 153—1 |
| rotary system | 344—4 | surge tank | 117—1 |
| separate system | 171—5 | water tank | 139—5 |
| street system | 330—2 | tanker | 210—2 |
| zone system | 172—1 | tape | 52—5 |
| | | taper pipe | 132—5 |
| | | tar | |
| | | coal tar | 374—2 |
| | | coal tar pitch | 374—3 |
| | | table | |
| T rail | 305—2 | | |

T.

| | | | |
|----------------------|-------|---------------------------|--------------|
| tar macadam pavement | 223—2 | through traffic | 349—3 |
| target | 49—5 | through Y | 279—5 |
| tee | | throughfare | 340—1 |
| high tee rail | 289—3 | throw | |
| telescope | 52—4 | three throw switch | 307—4 |
| telford | 224—4 | tidal | |
| telford macadam | 224—5 | tidal basin | 194—4 |
| telpher | 196—3 | tidal compartment | 62—2 |
| tensile | | tidal current | 195—1 |
| tensile strain | 21—4 | non-tidal river | 86—5 |
| tensile strength | 21—3 | tidal range | 194—2 |
| tensile stress | 21—2 | tidal river | 87—2 |
| tension | 21—1 | tidal wave | 194—5 |
| diagonal tension bar | 394—2 | tide | 194—3 |
| direct tension | 17—2 | ebb tide | 211—1 |
| tension flange | 249—4 | equinoctial tide | 203—3 |
| tension member (tie) | 266—1 | flood tide | 188—1 |
| terminal | 177—3 | tide gate | 173—1 |
| terminal facilities | 187—4 | tide gauge | 39—3 |
| terminal station | 309—1 | half tide basin | 201—4 |
| terminus | 189—5 | high water level ordinary | |
| test | | spring tide | 205—2 |
| abrasion test | 231—2 | neap tide | 185—2 |
| decantation test | 360—3 | spring tide | 177—4 |
| drop test | 409—2 | tideless river | 86—5 |
| flow test | 402—2 | tie | 266—1, 324—1 |
| test load | 377—3 | composite tie | 283—2 |
| test piece | 368—2 | gauge tie | 304—4 |
| test pile | 377—4 | tie hoop | 363—5 |
| slump test | 383—1 | tie line | 39—1 |
| thermit portion | 289—1 | tie plate | 261—5, 314—1 |
| thickener | 155—3 | tie rod | 304—4 |
| thimble | 143—2 | tied arch | 245—6 |
| third rail | 314—2 | tiering | 196—1 |
| three | | tilting | 280—1 |
| three hinged arch | 251—4 | tilting mixer | 414—3 |
| three port Y | 283—1 | non tilting mixer | 434—5 |
| three throw switch | 307—4 | timber | |
| throat | 265—2 | timber crossing | 277—3 |
| through | | timber dam | 124—4 |
| through bridge | 243—2 | sliding timber weir | 53—5 |
| through connected Y | 282—2 | timbering | 373—2 |
| through joint | 392—4 | excavation with | |

| | | | |
|--------------------------|--------------|------------------------|--------------|
| timbering | 407—2 | tower crane | 197—2 |
| excavation without | | tower excavator | 430—1 |
| timbering | 382—2 | intake tower | 137—2 |
| time | 44—1 | water tower | 146—2 |
| civil time | 44—5 | towing path | 83—2 |
| day time population | 348—1 | town | |
| equation of time | 44—2 | town location | 351—1 |
| time for locking | 75—2 | mother town | 341—5 |
| inlet time | 175—1 | town planning | 350—3 |
| time of concentration | 174—5 | satellite town | 327—4 |
| sidereal time | 39—5 | townsite | 350—4 |
| solar time | 48—1 | track | 236—2, 301—5 |
| standard time | 51—3 | track depression | 312—4 |
| time zone | 343—3 | track elevation | 312—3 |
| tipping car | 427—3 | gauge of track | 300—2 |
| titan crane | 193—3, 425—5 | ladder track | 316—2 |
| toe of slope | 80—1, 396—4 | main track | 323—4 |
| tongue rail | 312—1 | sand track | 310—2 |
| tonnage | 199—2 | track soale | 308—3 |
| gross tonnage | 193—1 | track shifter | 416—1 |
| gross registered tonnage | 193—1 | track shims | 319—3 |
| net registered tonnage | 193—3 | side track | 313—4 |
| registered tonnage | 193—3 | trackless trolley | 293—2 |
| toothing stone | 290—1 | tractor | 419—1 |
| top | | trade | |
| top chord | 254—5 | trade waste | 159—4 |
| top heading | 390—2 | trade wind | 207—4 |
| top of dam | 118—5 | traffic | 335—4 |
| top of slope | 79—4, 396—2 | traffic census | 217—4 |
| top width | 77—4 | traffic circle | 335—5 |
| torrent | 101—2 | traffic congestion | 336—2 |
| complex torrent | 96—5 | traffic control | 336—4 |
| erosion torrent | 96—4 | traffic control signal | 337—2 |
| glacial torrent | 101—4 | traffic destination | 341—4 |
| simple torrent | 99—2 | traffic discharge | 338—1 |
| torrential | | traffic hazard | 336—3 |
| torrential river | 94—3 | inbound traffic | 357—4 |
| torrential valley | 94—2 | traffic lane | 340—5 |
| torsion | 19—3 | traffic line | 337—5 |
| torsional strength | 19—4 | local traffic | 332—2 |
| tower | | traffic origin | 331—2 |
| concrete distributing | | outbound traffic | 357—3 |
| tower | 419—4 | traffic place | 337—3 |

regulating valve 115—3, 140—4
 relief valve 130—2
 safety valve 130—2
 sluice valve ... 115—3, 140—4
 stop valve 140—4
 vane
 sight vane 49—4
 varing
 uniformly varing load ... 18—2
 vee
 double vee butt joint ... 239—1
 single vee butt joint ... 269—4
 vehicular traffic 341—3
 vein
 contracted vein 34—2
 velocity 13—4, 31—5
 approaching velocity ... 31—3
 coefficient of velocity ... 35—4
 critical velocity 28—1
 velocity head 35—5
 limitation velocity 93—5
 velocity of approach ... 31—3
 vena contracta 34—2
 vent
 air vent 118—2
 ventilator 156—5, 415—2
 venturimeter ... 34—3, 148—5
 vernal equinox 43—2
 vernier 53—2
 vertical
 vertical curve .. 220—4, 310—3
 vertical member 255—4
 vertical weld 258—5
 vestibule 277—4
 viaduct 275—1
 vibration
 damped vibration 7—5
 forced vibration 6—5
 free vibration 11—3
 virtual grade 299—4
 viscosity 19—5
 void 370—4
 volume

volume mix 408—3
 volume of dam body ... 105—3
 traffic volume 338—1

W.

walk
 arcaded side walk 352—2
 cross walk 328—2
 foot walk 222—4
 side walk 222—4, 230—3
 355—5
 wall 403—1
 baffle wall 144—1
 buttressed wall 401—4
 core wall 112—4
 counterforted wall ... 372—4
 curtain wall 124—1
 cut-off wall 111—1
 wall eye 292—1
 parapet wall 363—3
 partition wall 365—1
 puddle core wall 120—3
 retaining wall 408—5
 side wall 387—1
 training wall 85—4
 wing wall 408—2
 warehouse 192—4
 bonded warehouse 207—3
 wash out gate 165—4
 washer
 lock nut washer 326—2
 waste
 industrial waste 150—4
 trade waste 150—4
 wasteway 126—2, 150—1
 water
 water cement ratio ... 404—3
 clear water reservoir ... 130—2
 146—1
 water closet 173—3
 water course 89—5
 water cushion 113—5

water hammer 30—1
 hard water 136—1
 high water channel 63—4
 high water separation
 levee 72—1
 water jet 404—4
 low water channel ... 75—5
 water power 121—4
 water power site 114—3
 pure water reservoir ... 139—2
 146—1
 146—1
 raw water 135—3
 soft water 144—5
 water supply 139—3
 water tank 139—5
 water tower 146—2
 water trap 152—4
 under water guide ... 423—3
 water works 139—3
 water gage 90—1
 recording water gage .. 69—4
 water level 70—1
 ground water level ... 389—2
 high water level 109—2
 high water level ordinary
 spring tide 205—2
 mean water level 85—2
 mean low water level ... 85—3
 median water level 85—5
 ordinary water level ... 85—5
 water meter 150—2
 disk water meter 132—3
 inferential water meter 151—5
 watershed 84—5
 waterside
 waterside banquette ... 58—1
 waterside slope 58—2
 watertight joint 381—3
 wave 214—5
 wave breaker 200—1
 forced wave 192—1
 free wave 210—5
 tidal wave 194—5
 translation wave 192—2
 way
 fish way 103—1
 lock sluice way 62—6
 log way 128—2
 maintenance of way ... 323—3
 one way street 327—3
 park way 335—1
 permanent way 312—2
 right of way ... 226—1 349—4
 sluice way 82—5, 83—4
 wearing
 wearing coat 228—2
 wearing course 228—1
 weather
 dry weather flow 164—4
 wet weather flow,
 (W.W.F.), (w.w.f.) .. 153—5
 web 268—4
 web member 268—5
 web plate 269—1
 web reinforcement ... 400—5
 weep hole 397—2
 weight mix 380—5
 weir 31—2, 71—5
 baffle weir 73—1
 bear trap weir ... 62—5, 107—2
 draw-door weir 87—4
 fixed weir 66—3
 flash board weir 58—5
 lift gate weir 87—4
 movable weir ... 61—1, 106—2
 overflow weir 54—4
 shutter weir 74—1
 sliding timber weir ... 58—5
 submerged weir
 34—6, 124—5
 weld
 butt weld 260—2
 continuous weld 276—2
 fillet weld 256—1
 flat weld 252—3
 horizontal weld 274—5

