
土木学会論文集

No.554/Ⅲ-37 1996.12

目次

[投稿論文]

英文論文

- 盛土を含む砂地盤の液状化模型振動台実験……………阿部博 1

和文論文

- 微小な鉛直ひずみの測定による大規模地下空洞掘削時の岩盤挙動の検討
……………打田靖夫・吉田次男・平川芳明・石田 毅 19
- 風化岩盤上剛体基礎の現地実験による動的・静的変形特性
……………山本茂樹・山岸一彦・山田勝彦・西森孝三 31
- 二次圧密時に温度効果を受けた粘土の圧密特性……………上 俊二・藤原東雄・勝村雅子 47
- 不飽和土の圧縮特性に及ぼす間隙水分布の影響に関する研究
……………加藤正司・軽部大蔵・本田道誠・藤原照幸 57
- 散逸エネルギーを考慮したトンネル支保による岩盤安定化の定量的評価について
……………渡辺豊彦・岸野佑次 71
- 鋼繊維補強コンクリートの特性を考慮したトンネル覆工の設計
……………鬼頭 誠・峯本 守・梶原雄三・松岡 茂 81
- 確率論的手法を用いた掘削面におけるキープロック安定解析
……………大西有三・西山弘之 89
- 東京湾横断道路川崎人工島建設における大深度に位置する難透水層の透水性評価
……………佐野幸洋・中川 修・鈴木健一・上村佳司 99
- 沈下速度より見た高有機質土の一次元圧密特性……………及川 洋 111
- 地震時の斜面の安定性に及ぼす3次元効果……………鞆飼恵三・井田寿朗・若井明彦 119
- 砂質地盤における泥水式シールドの適正泥水性状に関する研究
……………森 仁司・栗原和夫・柴田英明・森 麟 129
- 土の残留強度に与える試験法ならびにすべり面の拘束条件の影響
……………矢田部龍一・八木則男・向谷光彦・榎 明潔 139
- ひび割れを考慮したトンネル覆工解析に関する研究
……………松岡 茂・益田彰久・松尾庄二・柳 博文 147
- 東京低地における地盤の再液状化現象……………阿部 博・草野 郁 157
- ロック材料の三軸試験およびねじり単純せん断試験による非排水動的強度
……………松本徳久・安田成夫・芳岡良一 173
- 重錘落下による締固め範囲と運動量の関係
—単点打撃における密度と強度の増加域—……………大島昭彦・高田直俊・田中善広 185
- 破砕性土の定常状態と液状化強度
……………兵動正幸・荒牧憲隆・岡林 巧・中田幸男・村田秀一 197
-

| | | |
|---|---------------------|-----|
| 岩盤掘削中におけるディスクカッタへの作用負荷の研究 ディスクカッタと 岩盤との力の相互作用..... | 西岳 茂 | 211 |
| 十字型鉛直ドレーンによる圧密促進効果とその等価径の評価法 | ブラダン テージ・岡本正広・外裏雅一 | 221 |
| 締固め施工における振動ローラの振動挙動に関する考察 | 建山和由・藤山哲雄・西谷誠之 | 231 |
| ジオシンセティックス多層ライナーのせん断力伝播に関する実験的研究 | 今泉繁良・高橋 悟・坪井正行・横山幸満 | 239 |
| 飽和軽量土の初期間隙比・一軸圧縮強さと破壊基準の関係 | 矢島寿一・丸尾茂樹・小川正二 | 251 |
| 低温物質貯蔵時の液漏れおよび冷気漏れ対策としての高分子系材料の適用性 | 稲田善紀・関 正造 | 259 |

JOURNAL OF GEOTECHNICAL ENGINEERING

No.554/III-37 December 1996

CONTENTS

[Paper]

Paper (In English)

- Liquefaction Shaking Table Tests for Sandy Ground with Embankment
..... *Hiroshi ABE* 1

Papers (In Japanese)

- Rock Behavior Measured by Means of Borehole Strain Gauges During a
Large Underground Cavern Excavation
..... *Yasuo UCHITA, Tsugio YOSHIDA, Yoshiaki HIRAKAWA
and Tsuyoshi ISHIDA* 19

- Dynamic and Static Displacement Property of Rigid Foundation on
Weathered Rock by Field Test
..... *Shigeki YAMAMOTO, Kazuhiko YAMAGISHI,
Katsuhiko YAMADA and Kozo NISHIMORI* 31

- Consolidation Behavior of Clay Subjected to Temperature Effects at
Secondary Compression Term..... *Shunji UE, Haruo FUJIWARA
and Masako KATSUMURA* 47

- Influence of Water Distribution on the Compression Behavior of
Unsaturated Soil *Shoji KATO, Daizo KARUBE, Michinori HONDA
and Teruyuki FUJIWARA* 57

- Stability Evaluation of Rock Masses with Tunnel Supports by Taking
into Account Dissipation Energy
..... *Toyohiko WATANABE and Yuji KISHINO* 71

- Design for Tunnel Linings which Involve Property of Steel Fiber
Reinforced Concrete
..... *Makoto KITO, Mamoru MINEMOTO, Yuzo KAJIWARA
and Shigeru MATSUOKA* 81

- The Stability Analysis of Key Block at Excavation Surface with
Probabilistic Approach *Yuzo OHNISHI and Hiroyuki NISHIYAMA* 89

- A Study on the Estimation of Permeability of an Aquiclude Layer in
Deep Zone Near an Earth Retaining, Cut-Off Wall During Construction
of Kawasaki Man-Made Island..... *Yukihiro SANO, Osamu NAKAGAWA,
Kenichi SUZUKI and Keiji UEMURA* 99

- Settlement Rates During One-Dimensional Consolidation of Peat
..... *Hiroshi OIKAWA* 111

- 3D Effects on the Stability of Slopes During Earthquakes
..... *Keizo UGAI, Hisao IDA and Akihiko WAKAI* 119

- The Study on Suitable Slurry Properties with Slurry-Type Shield
Driving in Sandy Soils..... *Hitoshi MORI, Kazuo KURIHARA,
Hideaki SHIBATA and Akira MORI* 129
-

| | | |
|--|--|-----|
| Influence of Shear Test Method and Restraint Condition on Residual Strength of Soil | <i>Ryuichi YATABE, Norio YAGI, Mitsuhiko MUKAITANI and Meiketsu ENOKI</i> | 139 |
| A Study on Simulation of Tunnel Lining which Involves Crack | <i>Sigeru MATSUOKA, Akihisa MASUDA, Soji MATSUO and Hirobumi YANAGI</i> | 147 |
| Ground Re-Liquefaction in Historical Earthquakes in the Tokyo Lowland | <i>Hiroshi ABE and Kaoru KUSANO</i> | 157 |
| Undrained Cyclic Strength of Compacted Rockfill Material from Triaxial and Torsional Simple Shear Tests | <i>Norihisa MATSUMOTO, Nario YASUDA and Ryo-ichi YOSHIOKA</i> | 173 |
| Relation Between Compacted Area and Ram Momentum by Heavy Tamping — Density and Strength Increases Due to Single Point Tamping— | <i>Akihiko OSHIMA, Naotoshi TAKADA and Yoshihiro TANAKA</i> | 185 |
| Steady State and Liquefaction Strengths of Crushable Soils | <i>Masayuki HYODO, Noritaka ARAMAKI, Takumi OKABAYASHI, Yukio NAKATA and Hidekazu MURATA</i> | 197 |
| Study on Acting Forces to the Disk Cutters During Excavation by Using TBM-Interaction Forces Between Rock and Disk Cutters | <i>Shigeru NISHITAKE</i> | 211 |
| Experimental Study on the Consolidation Efficiency and the Equivalent Diameter of Cross Shaped Drain | <i>Tej B.S. PRADHAN, Masahiro OKAMOTO and Masakazu SOTOURA</i> | 221 |
| Some Aspects of the Vibrating Behavior of a Vibratory Roller in Soil Compaction | <i>Kazuyoshi TATEYAMA, Tetsuo FUJIYAMA and Masayuki NISHITANI</i> | 231 |
| An Experimental Study on Load Transfer within Multi-Layered Geosynthetics Liner | <i>Shigeyoshi IMAIZUMI, Satoru TAKAHASHI, Masayuki TSUBOI and Yukimitsu YOKOYAMA</i> | 239 |
| Relation Between Failure Criterion, Unconfined Compressive Strength and Initial Void Ratio of Light-Weight Soil | <i>Juichi YAJIMA, Shigeki MARUO and Shoji OGAWA</i> | 251 |
| Application of Resin Lining System for Countermeasures for Preventing Leakage from Openings in Low Temperature Materials Storage | <i>Yoshinori INADA and Shozo SEKI</i> | 259 |
